

INDEX

A

- A error, 162
- Absolute accuracy, 405
- Absorption and scattering, 362
- Accuracy, digital chart, 82
- Acoustic Doppler current profilers, 560
- Additional Secondary Phase Factor (ASF), 404
- Adjusting barometer readings, 665
- Adjustment of SOA, 702
- Advance, 161
- Advanced piloting techniques, 176
- Advection fog, 624
- Aeronautical lights, 111, 116
- Agulhas Current, 587, 588
- Aids to navigation system, 99, 109
- Air masses, 611
- Alaska Current, 587
- Aleutian Current, 587
- Allowances for Non-Uniform Propagation Rates, 404
- Almanacs, 102, 448
- Altitude measurement, 448
- Alto, 673
- Alto cumulus (Ac), 676
- Altostratus (As), 676
- Amplitude modulation (AM), 365
- Amplitude of radio waves, 357
- Amplitude of the sun by calculation, 273
- Amplitudes, 271
- AMVER participation, 492
- AMVER plot information, 492
- AMVER reporting, 492
- Anchorage, 175
- Anchoring procedures, 174
- Anemometer, 667
- Aneroid barometer, 663
- Angle of magnetic dip, 134
- Angle, 259
- Anomalistic month, 566
- Antarctic Circumpolar Current, 584
- Antenna characteristics, 363, 366
- Antilles Current, 585
- Antipode, 562
- Aphelion, 218
- Apogean tides, 566
- Apogee, 218
- Apparent horizon, 236
- Apparent motion, 216, 224
- Apparent solar time, 229, 276
- Apparent wind, 667
- Arc, 259, 278
- Area calls, 466
- Areas to be avoided, 453
- Aries, 229
- Artificial horizon sextants, 266
- Artificial horizon, 266
- Astronomic latitude, 18, 232
- Astronomic longitude, 18, 232
- Astronomical Almanac, 291
- Astronomical distances, 216
- Astronomical triangle, 241
- Athwartship (A) coil, 143
- Atlantic ocean currents, 584
- Atmosphere, 603
- Atmospheric electricity, 628
- Atmospheric noise, 363
- Atmospheric pressure, 663
- Attenuation, 386
- Automated Mutual-Assistance Vessel Rescue System (AMVER), 469, 490
- Azimuth of polaris, 270
- Azimuth of the sun, 269
- Azimuthal equidistant projection, 41
- Azimuthal orthomorphic projection, 40
- Azimuthal projection, 33, 39
- Azimuths, 237

B

- Back sight, 262
- Backwash, 600

Bank cushion, 176
 Bank suction, 176
 Barograph, 664
 Barometer 663
 Barometric pressure, 663
 Barometric pressure, analysis of, 656
 Baseline extension, 403
 Baseline, 20, 403
 Basins, 558
 Bathymetric charts, 51
 Bathymetric navigation, 1
 Beach sediments, 601
 Beacons, 114
 Beam compasses, 159
 Bearing (B, Brg.), 5
 Bearing record book, 164
 Beaufort Scale of wind force, 669
 Benguela Current, 588
 Blink coding, 402
 Bobbing a light, 98
 Body at rising, 447
 Body at setting, 447
 Body in zenith, 452
 Body on prime vertical, 447
 Bore, 566, 598
 Bottom contour charts, 51
 Bottom relief, 558
 Brazil Current, 586
 Breaker, 594
 Breakers, classes of, 599
 Bridge lights, 116
 British Thermal Unit (BTU), 666
 Buoyage systems, 122

C

Calculations of piloting, 707
 Calculations of the sailings, 709
 Calculator, 8
 Calculators in navigation, 707
 Calendar, 229
 California Current, 587
 Can, 123
 Canary Current, 586
 Cape Horn Current, 587
 Cardinal system, 122
 Catalogs, 103
 Causes of tides, 561
 Celestial equator, 233
 Celestial meridian, 233
 Celestial navigation, 1
 Celestial sphere, 215, 233
 Celestial triangle, 241
 Celsius (C), 666
 Centering error, 265
 Characteristics of lights, 117
 Chart accuracy, 45
 Chart classification by scale, 44
 Chart features, 54
 Chart graticule, 34
 Chart lettering, 50
 Chart lighting, 61
 Chart numbering system, 57
 Chart numerical scale, 44
 Chart preparation, 160, 438
 Chart projection, 33
 Chart reading, 48
 Chart scales, 44
 Chart sounding datum, 52
 Chart soundings, 50
 Chart symbols and abbreviations, 126
 Chart symbols, 50
 Charts, 2
 Chronometer error (CE), 6, 280
 Chronometer rate, 267, 280
 Chronometer time, 280
 Chronometer, 267
 Chronometers, 267
 Circulation of the atmosphere, 603
 Cirrocumulus (Cc), 674
 Cirrostratus (Cs), 674
 Cirrus (Ci), 673
 Clamp screw vernier sextant, 261
 Cloud formation, 672
 Cloud height measurement, 682
 Clouds, 672
 Clutter, 388
 Coaltitude, 6
 Coast Earth Stations (CES), 465
 Coastal charts, 45
 Coastal current, 583
 Coastal phase, 2
 Coastal refraction, 360
 Code division multiple access (CDMA), 372
 Codeclination, 6

Cold wall, 585
 Collimation error, 266
 Colors of lights, 123
 Colors of marks, 123
 Comets, 222
 Common establishment, 568
 Communications, 703
 Comparing watch, 267
 Compass, 3
 Compass checks, 440, 441
 Compass compensation, 141
 Compass error, 151
 Compass technology, 133
 Compasses, 3
 Compensating coils, 144
 Compressibility, 555
 Conductivity-temperature-depth (CTD), 554
 Cone topmark, 123
 Conic projection, 37
 Conical buoy, 123
 Conn, 167
 Conning Officer, 167
 Continental shelf, 558
 Continental slope, 558
 Coordinate systems, 234
 Coordinates, 18
 Corona, 218, 231, 626
 Correcting and Uncorrecting the Compass, 151
 Correcting compass, 138, 139
 Correctors, 136
 COSPAS/SARSAT participants, 471
 Counterglow, 223
 Course, 5
 Course line 5
 Crepuscular rays, 628
 Critical point approach, 70, 86
 Cross-track error, 98
 Cumulonimbus (Cb), 681
 Cumulus (Cu), 673, 678
 Current, 156
 Current diagrams, 580
 Current ellipse, 571
 Current meters, 574
 Current rose, 571
 Cygnus, 253
 Cylindrical projection, 33, 34

D

Danger bearings, 162
 Danger ranges, 162
 Danger soundings, 162, 439
 Date line, 279
 Datum shifts, 22
 Datum, 17
 Davidson Current, 587
 Day, 229
 Dead reckoning (DR), 1, 153, 445
 Dead reckoning plot, 153
 Dead water, 598
 Deck ice, 622
 Deck log, 164, 446
 Declination of a star, 295
 Declination of the moon, 294
 Declination of the sun, 294
 Deep Scattering Layer (DSL), 483
 Deep, 558
 Deep-Water route, 454
 Defense Mapping Agency Hydrographic/Topographic Center (DMAHTC) 10
 Defense Mapping Agency, 10
 Degaussing coils, 141
 Degaussing compensation, 141, 144, 147
 Degaussing effects, 143
 Degaussing folder, 141
 Degaussing stations, 141
 Degaussing system, 143
 Degaussing, 141, 147, 148, 149, 150
 Demarcation line, 164
 Density, 555
 Departure (p, Dep.), 4, 154
 Deperming, 143
 Depth contours, 51
 Depth conversion scale, 51
 Depths and datums, 52
 Developable surface, 33
 Deviation, 3, 136, 151
 Difference of latitude (l, Dlat.), 4
 Difference of longitude (DLo), 4
 Differential GPS (DGPS), 378
 Diffraction, 362, 386
 Digital Nautical Chart (DNC), 75
 Digital Selective Calling (DSC), 468
 Direct motion, 221

Direction on the earth, 5
 Dissemination systems, 283
 Distance on the earth, 4
 Distances Between Ports (Pub. 151), 102
 Diurnal tide, 564
 Diversion, 702
 DNC corrections, 80
 Doldrums, 605
 Double high water, 566
 Double low water, 566
 Drag circle, 175
 Drift currents, 584
 Drift, 156, 571
 Duel frequency correction techniques, 376
 Duration of slack water, 579

E

E layer, 360
 Earth, 3, 219
 East Auckland Current, 588
 East Australian Current, 588
 East Cape Current, 588
 East Greenland Current, 588
 East Wind Drift, 584
 Ebb, 571
 ECDIS Correction System, 79
 ECDIS Outputs, 71
 ECDIS Performance Standards, 65
 ECDIS warnings and alarms, 68
 ECDIS-N, 75
 Eclipses, 231
 Ecliptic, 219, 227
 Eddy viscosity, 556
 Effect of ice on waves, 594
 Effects of currents on waves, 594
 Effects of wind on the sea, 669
 Ekman layer, 583
 Ekman pumping, 583
 Ekman spiral, 584
 Ekman transport, 583
 Electric psychrometer, 667
 Electrical conductivity, 557
 Electromagnetic spectrum, 358
 Electronic chart data base, 63
 Electronic Chart Display and Information System (ECDIS), 14
 Electronic chart display characteristics, 67

Electronic Chart Standards, 66
 Electronic Charts, 33, 63
 Electronic Charts, correcting 79
 Electronic charts, using, 82
 Electronic navigation reports, 486
 Electronic horn, 111
 Electronic systems, 443
 Ellipsoid of revolution, 17, 219
 Emergency navigation kit, 443
 Emergency navigation, 443
 Endless tangent screw vernier sextant, 261
 Energy of waves, 595
 Enhanced Group Call (EGC), 466
 Epicenter, 596
 EPIRB's (Category I, II), 469
 EPIRB's (Class A, B, S), 469
 EPIRB's, alarm, warning, and alerting signals, 472
 EPIRB's, testing, 470
 Equation of time, 276
 Equator 4
 Equatorial Countercurrent, 588
 Equatorial jet, 588
 Equatorial tides, 566
 Equatorial undercurrent, 589
 Equinoctial, 233
 Equipment inventory, 438
 Error circle, 156
 Error curve, 139
 Errors in piloting, 179
 Established direction of traffic flow, 454
 Estimated position (EP), 1
 Estimated position, 154, 156
 Estimated speed made good, 157
 Estimated time of arrival, 166
 Estimated track made good, 157
 Estimating the wind at sea, 669
 Evolutions prior to piloting, 165
 Expendable bathythermograph (XBT), 554
 Extremely high frequency, 365

F

F layer, 360
 Fading, 362
 Fahrenheit (F), 666
 False shoals, 483
 Fast ice, 502

Fathometer log, 164
 Fathometer operating guidelines, 440
 Fathometer (using the), 174
 Fault lines, 553
 Federal Radionavigation Plan, 367
 Fetch, 591, 670
 Fix by range and distance, 169
 Fix by two bearing lines, 168
 Fix by two ranges, 168
 Fix expansion, 155
 Fixed aids, 114
 Fixing position (by radar), 395
 Flashing, 143
 Flaw lead, 503
 FleetNET, 466
 Flinders bar, 137
 Floating derelicts, 480
 Flood, 571
 Florida Current, 585
 Fog, 624, 672, 696
 Forecasting weather, 631
 Forecastle (F) coil, 142
 Foreign chart reproduction, 56
 Frazil ice, 499
 Frequency modulation (FM), 365
 Fronts, 613

G

Galactic nebula, 224
 Galileo System, 379
 Gauss, 141
 Gaussian error, 141
 Gegenschein, 223
 General charts, 45
 General circulation, 607
 General direction of buoyage, 123
 Geocentric latitude, 19, 233
 Geodesic, 3
 Geodesy, 17
 Geodetic latitude, 18, 232
 Geodetic longitude, 18, 232
 Geodetic survey, 19
 Geodetic systems, 21
 Geographic latitude, 233
 Geographic longitude, 233
 Geographic range, 98
 Geometric dilution of precision (GDOP), 375

Geostrophic equilibrium, 584
 Glacier, 495
 Glasses shade, 260
 Global Maritime Distress and Safety System, 463
 Global Positioning System (GPS), 9, 371
 Globular clusters, 224
 Gnomonic projection, 33, 39
 GPS signal coding, 373
 Graduation errors, 265
 Gravity waves, 591
 Gray-white ice, 501
 Grease ice, 499
 Great circle, 3
 Great circle charts, 40
 Great circle track, 5
 Great Lakes ice, 515
 Green flash, 627
 Greenwich Hour Angle (GHA), 234
 Greenwich time, 230
 Grids, 43
 Ground swell, 594
 Groundwave, 361
 Group calls, 466
 Group time delay, 376
 Group velocity, 593
 Guinea Current, 586
 Gulf Stream, 585
 Gyrocompass, 3

H

Halos, 626
 Handle, 260
 Harbor charts, 45
 Harbor/harbor approach phase, 2
 Harmonic constants, 575
 Harmonic tide plane, 570
 Harvest moon, 222
 Haze, 624
 Heading relationships, 151
 Hectopascal (hPa), 663
 Heeling coil, 144
 Heeling magnet, 137
 Height error, 665
 Heights, 52
 Hertz, 358
 High Clouds, 673
 High frequency, 364

High tide, 563
 High water datums, 570
 Horizon glass, 260
 Horizontal geodetic datum, 19
 Horse latitudes, 607
 Humboldt Current, 588
 Humidity, 667
 Hunter's moon, 222
 Hydraulic current, 571
 Hydrograms, 104
 Hydrographic surveys, 25
 Hygrometer, 667

I

IALA Cardinal Marks, 124
 IALA Isolated Danger Mark, 124
 IALA Lateral Marks, 123
 IALA Maritime Buoyage System, 122
 IALA New Dangers, 125
 IALA Safe Water Marks, 125
 IALA Special Marks, 125
 Ice cake, 500
 Ice cap, 495
 Ice detection, 508
 Ice field, 501
 Ice floes, 501
 Ice forecasts and observations, 519
 Ice front, 497
 Ice operations, 512
 Ice rind, 499
 Ice wall, 497
 Ice, 480, 671, 697
 Ice, density of, 506
 Icebergs in the North Atlantic, 498
 Icebergs, 495
 Identification of stars, 242
 Index arm, 259
 Index error, 266
 Index mirror, 260
 Indian Ocean Currents, 588
 Indian spring low water (ISLW), 570
 Indian tide plane, 570
 Induced magnetism, 141
 Inertial navigation, 1
 Inertial navigation system, 9
 Inferior conjunction, 220
 Inferior planets, 219

Inland Waterway Phase, 2
 Inmarsat (International Maritime Satellite Organization), 465
 INMARSAT C, 465
 Inshore current, 583
 Inshore traffic zone, 454
 Instrument error, 665
 Integrated bridge, 74
 Intercardinal coils, 144
 Interference, 363
 Internal waves, 598
 International Association of Lighthouse Authorities, 14
 International charts, 56
 International Hydrographic Bureau (IHB), 56
 International Hydrographic Organization (IHO), 12, 56
 International Maritime Organization (IMO), 13
 International Regulations for Preventing Collision, 13
 Interpreting weather, 635
 Intracoastal Waterway aids to navigation, 128
 Ion, 359
 Ionosphere, 359
 Ionospheric delay errors, 375
 Irminger Current, 586
 Island shelf, 558
 Island slope, 558
 Isobars, 663

J

Jamming, 363
 Japan Current, 587
 Jupiter, 221

K

Kamchatka Current, 587, 589
 Knot (kn.), 4
 Kuroshio Current, 587

L

Labrador Current, 586
 Lagging tides, 566
 Lambert conformal projection, 33, 38
 Land Earth Stations (LES), 465
 Land effect, 360
 Land ice, 495

- Large-scale chart, 44
 - Lateral and cardinal systems, 122
 - Lateral marks, 123
 - Latitude (L, lat.), 4, 232, 697
 - Latitude determination, 6, 451
 - Leap seconds, 286
 - Leap-second adjustments, 286
 - Leeuwin Current, 588
 - Leeway, 156
 - Length of the day, 451
 - Leveling, 20
 - Light characteristics, 117
 - Light Lists, 96
 - Light sectors, 120
 - Light-year, 217
 - Limb, 259
 - Line of apsides, 218
 - Line of position, 7
 - List of Lights, 99
 - Local Hour Angle (LHA), 234, 282
 - Local Mean Time (LMT), 282
 - Local Notice To Mariners, 104
 - Local time, 230
 - Local wind names, 608
 - Local winds, 621
 - Log, 3
 - Longitude (l, long.), 4, 232
 - Longitude determination, 6
 - Longitudinal (L) coil, 143
 - Longshore current, 583, 601
 - Loop Current, 585
 - Loran C Signal, 400
 - Loran C Theory, 403
 - Low clouds, 673, 678
 - Low frequency, 364
 - Low tide, 563
 - Low water datum, 570
 - Low Water Datums, 569
 - Lower branch, 3, 233
 - Lower low water datum, 570
 - Lowest low water, 570
 - Lowest normal low water, 570
 - Loxodromic curve, 4
 - Luminous range, 96
 - Lunar day, 230
 - Lunar distance, 6
 - Lunar eclipse, 232
 - Lunar month, 566
 - Lunitidal interval, 568
- M**
- Magnetic adjustment, 136
 - Magnetic disturbances, 486
 - Magnetic fields, 133
 - Magnetic heading, 151
 - Magnetic poles, 133
 - Magnetic signature, 141
 - Magnitude ratio, 217
 - Magnitudes, 217
 - Main (M) coil, 142
 - Major light, 114
 - Major wind patterns, 605
 - Malvinas Current, 586
 - Maneuvering to avoid the storm center, 657
 - Manganese nodules, 559
 - Marcq Saint Hilaire, 103
 - Marine chronometer, 267
 - Marine information reports, 484
 - Marine microbarograph, 664
 - Marine sediments, 558
 - Marine sextant, 259
 - Maritime Safety Information (MSI), 104, 106, 463, 466
 - Mars, 221
 - Mean high water (MHW), 570
 - Mean high water lunitidal interval, 568
 - Mean high water springs (MHWS), 570
 - Mean higher high water (MHHW), 570
 - Mean low water (MLW), 569
 - Mean low water springs (MLWS), 569
 - Mean lower low water (MLLW), 570
 - Mean lower low water springs (MLLWS), 570
 - Medium frequency, 364
 - Mercator projection, 33, 34
 - Mercurial barometer, 663
 - Meridian, 3
 - Meridian altitude, 451
 - Meridian angle, 233
 - Meridian transit, 234, 447
 - Meridional parts (M), 34
 - Meteor showers, 223
 - Meteor swarms, 223
 - Meteors, 222
 - Micrometer drum sextant, 259

Micrometer drum, 260
 Microwaves, 358
 Middle clouds, 673, 676
 Mid-latitude (Lm), 4
 Military ECDIS, 75
 Mindanao Current, 588
 Mines, 482
 Minimum expected sounding, 439
 Minor light, 14
 Mirage, 624
 Miscellaneous chart features, 54
 Mist, 624
 Mixed tide, 565
 Modified facsimile charts, 56
 Modified Lambert conformal, 42
 Modulation, 365
 Moon, 221
 Moonrise, 297
 Moonset, 297
 Most probable position (MPP), 444

N

Nadir, 233
 National Marine Electronic Association (NMEA), 14
 National tidal datum epoch, 570
 Nautical Almanac, 291, 294
 Nautical chart, 33
 Nautical mile, 3
 Nautical texts, 91
 NAVAIDS, 160
 Navigation, four phases of, 2
 Navigational astronomy, 215
 Navigational tables, 8
 Navigational triangle, 6, 241
 Navigator, 167
 NAVTEX, 467
 Navy Navigation Satellite System (NAVSAT), 9, 371
 Neap tides, 566
 Nebula, 224
 Negative pole, 134
 Neptune, 221
 Network Coordination Station (NCS), 465
 New danger, 125
 New Guinea Coastal Current, 588
 Ney's projection, 42

Night effect, 362
 Night observations, 672
 Night orders, 440
 Nilas, 499
 Nimbostratus (Ns), 680
 Nimbus, 673
 No. 2102D, 255
 NOAA BSB corrections, 73
 Nodal period, 566
 Nodes, 231
 Noise, 363
 Nominal range, 96
 Nontidal current, 571
 North American Datum 1983, 22
 North Atlantic Current, 586
 North Cape Current, 585
 North Equatorial Countercurrent, 585, 587
 North Equatorial Current, 585, 586, 587
 North Pacific Current, 587
 North pole, 134
 North wall effect, 696
 Northeast Drift Current, 586
 Norway Current, 586
 Notice To Mariners, 104
 Nova, 224

O

Oblique gnomonic projection, 39
 Oblique Mercator projections, 36
 Oblique orthomorphic projection, 36
 Obliquity of the ecliptic, 227
 Ocean current observations, 589
 Ocean current phenomena, 589
 Ocean current reports, 489
 Ocean currents and climate, 589
 Ocean currents, 696
 Ocean currents, causes, 583
 Ocean eddies and rings, 589
 Ocean phase, 2
 Ocean pressure, 554
 Ocean temperature, 554
 Ocean waves, 591
 Oceanic circulation, 584
 Oceanographic chemistry, 553
 Oceanography, 553
 Offshore current, 583
 Open cluster, 224

Opposition, 221
 Origin of the oceans, 553
 Orion, 250
 Orthographic projection, 34, 41
 Orthomorphic projection, 33
 Oscillatory wave, 594
 Overfalls, 594
 Oyashio Current, 587

P

Pacific ocean currents, 587
 Pancake ice, 499
 Parallax, 451
 Parallel, 4
 Pegasus, 246
 Perigean spring tides, 566
 Perigean tides, 566
 Perigee, 218
 Perihelion, 218
 Periodic current, 583
 Permanent magnetism, 136
 Permanent magnets, 137
 Perspective projections, 34
 Peru Current, 588
 Phase characteristics of lights, 123
 Phase coding, 402
 Photosphere, 218
 Pillar buoys, 123
 Piloting 1, 159
 Piloting brief, 165
 Piloting procedures, 172
 Pilots, 2
 Plan position indicator (PPI), 384
 Plane projections, 34
 Planet diagram, 255
 Plates, 553
 Plotting running fixes, 177
 Plotting sheets, 43, 444
 Plotting the DR, 154
 Plunging breaker, 599
 Pluto, 221
 Polar charts, 42
 Polar distance (p), 234
 Polar projection, 42
 Polar winds, 607
 Polaris, 447
 Polarization error, 362

Polarization, 359
 Polyconic projection, 33, 39
 Port information reports, 486
 Positive pole, 134
 Precautionary area, 454
 Precipitation, 671
 Precise positioning service (PPS), 373
 Prime meridian, 2
 Priming tides, 566
 Prismatic error, 264
 Projections, 33
 Proper motion, 224
 Pseudorandom noise (PRN), 372
 Psychrometer, 667
 Psychrometric tables, 667
 Pulse modulation (PM), 365

Q

Quadrantal spheres, 137
 Quarterdeck (Q) coil, 142
 Quartz crystal marine chronometers, 267

R

Racons, 393
 Radar beacons, 393
 Radar interpretation, 386
 Radar navigation, 1
 Radar piloting, 394
 Radar ranges, 168
 Radar reflectors, 392
 Radar, development of, 9
 Radial motion, 224
 Radiation fog, 624
 Radio navigation, 1
 Radio Navigational Aids (Pub. 117), 99
 Radio propagation factors, 284
 Radio spectrum, 358
 Radio Technical Commission for Maritime Services, 14
 Radio wave propagation, 284, 364
 Radio waves, 357
 Radioactivity, 557
 Rage sea, 594
 Rainbow, 625
 Ramarks, 393
 Rams, 497
 Range lights, 114

- Ranges, 161
 - Raster chart display system (RCDS), 64
 - Raster navigation chart (RNC), 64
 - Receivers, 366
 - Recommended direction of traffic flow, 454
 - Recommended routes, 453, 454
 - Recommended track, 453
 - Recording observations, 684
 - Rectangular projection, 36
 - Reference plane, 569
 - Reflection, 359
 - Refraction of radio waves, 360
 - Refraction, 235, 386, 450, 594, 599
 - Registered Information Provider, 466
 - Regression of the nodes, 232
 - Regulated waterways, 462
 - Regulation of frequency use, 365
 - Relative accuracy, 405
 - Relative humidity, 667
 - Relative motion, 216
 - Release, 259
 - Repeatable accuracy, 405
 - Representative fraction, 44
 - Requirements, ECDIS, 63
 - Resolution in bearing, 386
 - Resolution in range, 386
 - Retentive error, 140
 - Retrograde motion, 221
 - Revolution, 217
 - Rhumb line, 4
 - Rip currents, 601
 - Ripples, 591
 - Rotation, 217
 - Roundabout, 453
 - Route planning and monitoring, 83
 - Route reports, 490
 - Routing system, 453
 - Royal Greenwich Observatory, 11
 - Rules of dead reckoning, 154
 - Running fix, 169
- S**
- Safe Water Marks, 125
 - Safety contour, 85
 - Safety of Life at Sea (SOLAS), 13
 - Safety report messages, 482
 - SafetyNET, 466
 - Sailing charts, 44
 - Sailing Directions, 2
 - Sailing Directions (Planning Guide), 91
 - Salinity, 553
 - Sand bars, 601
 - Sargasso Sea, 586
 - Saros, 232
 - SART Range, 474
 - Satellite navigation, 1
 - Satellite oceanography, 560
 - Saturn, 221
 - Scale, 44
 - Sea ice, 499
 - Sea ice, drifting, 506
 - Sea ice, salinity, 505
 - Sea ice, thickness, 503
 - Sea level pressure, 666
 - Search and acquisition, 400
 - Seasonal current, 583
 - Secant conic projection, 38
 - Secchi disk, 557
 - Sectors of lights, 120
 - Seiche, 597
 - Seismic sea waves, 596
 - Semidiameter, 451
 - Semidiurnal tide, 564
 - Semidiurnal, 572
 - Separation zone, 453
 - Set, 156, 571
 - Sextant care, 264
 - Sextant errors, adjustable, 265
 - Sextant errors, non adjustable, 264
 - Sextant moon sights, 261
 - Sextant reading, 262
 - Sextant star sights, 261
 - Sextant sun sights, 261
 - Sextant verticle angles, 169
 - Shade glasses, 260
 - Shallow water, 671
 - Shapes of marks, 123
 - Ship Earth Stations (SES), 465
 - Ship simulators, 181
 - Ship's heading, 151
 - Ship's magnetism, 136
 - Shoaling, 594
 - Shoals, 480
 - Shore lead, 503

- Shore lights, 121, 123
- Shuga,, 499
- Side error, 265
- Sidereal day, 229
- Sidereal Hour Angle, 229
- Sidereal month, 221
- Sidereal time, 229, 282
- Sight Reduction Tables, 103
- Sight reduction, 309, 549
- Signal range, 364
- Signal-to-noise ratio (SNR), 405
- Simple conic projection, 37
- Skip distance, 361
- Sky coloring, 625
- Sky diagrams, 243
- Slack water, 571
- Slide Bar, 162
- Sling psychrometer, 667
- Small circle, 3
- Small craft charts, 45
- Small-scale chart, 44
- Smog, 624
- Solar eclipse, 231
- Solar prominences, 231
- Solar System, 217
- Solar tide, 565
- Solar time, 275
- Solar wind, 219
- Somali Current, 588
- Sound signals, 121
- Sound speed, 556
- Sounding datum, 569
- Sounding reports, 483
- Soundings, 50
- South Atlantic Current, 586
- South Equatorial Current, 585, 588
- South Java Current, 588
- South Pole, 134
- Southeast Drift Current, 586
- Southern hemisphere routing, 703
- Southern Ocean Currents, 584
- Southwest Monsoon Current, 588
- Space segment, 465
- Spar, 123
- Special charts, 43
- Special environmental problems, 702
- Special Marks, 125
- Special Notice to Mariners paragraphs, 104
- Special purpose buoys, 110
- Special tidal effects, 566
- Specific heat, 556
- Speed (S), 4
- Speed made good (SMG), 5
- Speed of advance (SOA), 4
- Speed over the ground (SOG), 4
- Spherical buoys, 123
- Spherical triangle, 241
- Spicules, 499
- Spilling breaker, 599
- Spitsbergen Current, 586
- Spring tides, 566
- Squat, 176
- Stadimeter ranges, 169
- Standard parallel, 37
- Standard time broadcasts, 284
- Standing orders, 440
- Standing waves, 597
- Star charts, 243
- Star clouds, 224
- Star finder, 245, 255
- Star globe, 245
- Stars, 223, 242
- Station pressure, 665
- Steering error, 155
- Stereographic projection, 34, 40
- Storm tides, 596
- Stratocumulus (Sc), 679
- Stratus (St), 680
- Stream, 584
- Subastral point, 241
- Sublunar point, 241, 562
- Subpermanent magnetism, 136
- Subpolar regions 525
- Subsatellite point, 241
- Subsolar point, 241
- Substellar point, 241
- Summary of Corrections, 106
- Sumner line, 7
- Sun, 218
- Sunspots, 218
- Super high frequency, 365
- Superior conjunction, 220
- Superior planets, 221
- Supernova, 224

Super-refraction, 360
 Supersaturated, 667
 Surf, 594
 Surging breaker, 599
 Sweat, 667
 Swell, 591, 671
 Swing circle, 175
 Synodic period, 221
 Synodical month, 566
 Synoptic oceanography, 560
 Synoptic weather considerations, 697

T

Tabular iceberg, 503
 Taking a sight, 261
 Taking departure, 154
 Tangent screw, 259
 Tasman Front, 588
 Telescope, 260
 Temperature, 666
 Temperature error, 666
 Temperature measurement, 666
 Temporary geographic grid (TGG), 44
 Terrestrial magnetism, 134
 The Sailings, 3, 399
 Thermal conductivity, 557
 Thermal expansion, 556
 Thermocline, 554
 Thermohaline, 583
 Thermometer, 666
 Tidal current charts, 579
 Tidal current periods and cycles, 573
 Tidal current tables, 575, 577
 Tidal current, 156, 571
 Tidal currents, 575, 671
 Tidal cycles, 566
 Tidal day, 568
 Tidal heights, 575
 Tidal waves, 596
 Tide calculations, 574, 708
 Tide predictions for reference stations, 576
 Tide predictions for subordinate stations, 576
 Tide Tables, 576
 Tide waves, 598
 Time balls, 6
 Time delay lattice, 400
 Time difference, 400

Time meridian, 279
 Time of sunset, 296
 Time sight, 7
 Time signals, 284
 Time, 229
 Topmarks, 123
 Track made good by plotting running fixes, 177
 Tracking and lock phase, 400
 Trackline SURPIC, 493
 Tractive forces, 562
 Trade winds, 605
 Traffic lane, 453
 Traffic separation scheme, 453, 454
 Transfer, 161
 Transit of the sun, 220
 Transition to piloting, 166
 Transmissometer, 557, 684
 Transparency, 557
 Transverse Mercator projections, 35
 Transverse orthomorphic projection, 35
 Transverse projections, 33
 Traverse, 20
 Triangulation, 20
 Trilateration, 20
 Tropic higher high water (TcHHW), 570
 Tropic lower low water (TcLLW), 570
 Tropic tides, 566
 Tropical month, 566
 Tropical year, 230
 True heading, 151
 True wind, 667
 Tsunamis, 596
 Tsushima Current, 587
 Turbidity currents, 559
 Turning point, 161
 Twilight, 296
 Two-way route, 454
 Types of marks, 123

U

U.S. Coast and Geodetic Survey, 9
 Ultra high frequency, 365
 Undercurrents, 589
 United States Coast Guard, 11
 United States Naval Observatory, 11
 United States Navy, 11
 Universal polar stereographic (UPS) grid, 40, 44

Universal time, 230
 Universal Transverse Mercator (UTM), 35, 44
 Upper air observations, 684
 Upper branch, 3, 233
 Uranus, 221
 Ursa Major, 250
 USCG Light Lists, 99
 Use and stowage of charts, 61
 User equivalent range error (UERE), 375
 Using charts, 60

V

Variable stars, 224
 Variation 3, 134, 151
 Vernier sextant, 260
 Vernier, 260
 Vertical surveying, 20
 Very high frequency, 365
 Very low frequency, 364
 Vessel Traffic Services (VTS), 457
 Viscosity, 555
 Visibility, 684
 Visibility measurement, 684
 Visible horizon, 236
 Voluntary Observation Ship (VOS) program, 664
 Voyage preparation, 438
 VTS Houston-Galveston, 460
 VTS Prince William Sound, 460
 VTS Puget Sound, 459

W

Warning Sounding, 439
 Warship ECDIS (WECDIS), 78
 Watch relief procedures, 441
 Watch Time (WT), 281
 Waterspout, 622
 Wave characteristics, 591
 Wave front, 358
 Wave height, 696
 Wave interference, 359
 Wave measurement aboard ship, 595
 Wave period (P), 591
 Wavelength, 358, 591

Waves, causes, 591
 Waypoints, 87, 400
 Weather forecast dissemination, 631
 Weather observations, 663
 Weather routing, 693
 Weather, 603
 West Greenland Current, 586
 West Wind Drift, 584
 Western Rivers System, 128
 Wind driven currents, 583
 Wind measurement, 667
 Wind shifts, 671
 Wind speed, 670
 Wind vane, 667
 Wind, 696
 Wind's duration, 670
 World Geodetic Reference System (GEOREF), 43
 World Geodetic System of 1960, 21
 World Geodetic System of 1972, 21
 World Geodetic System of 1984, 21
 World Geodetic System, 21
 World Port Index Pub. 150, 102
 Wrecks/man-made obstructions, 480

X

X-shaped topmarks, 123

Y

Year, 229
 Young ice, 501

Z

Zenith distance, 237
 Zenith, 233
 Zenithal projection, 33, 39
 Zodiac, 229
 Zodiacal light, 223
 Zone description (ZD), 279
 Zone meridian, 279
 Zone time (ZT), 230, 279