

# INDEX

## A

- A error, 137
- Absolute accuracy, 156, 405
- Absorption and scattering, 362
- Accuracy, digital chart, 82
- Acoustic Doppler current profilers, 560
- Additional Secondary Phase Factor (ASF), 404
- Adjusting barometer readings, 665
- Adjustment of SOA, 702
- Advance, 161
- Advanced piloting techniques, 176
- Advection fog, 623
- Aeronautical lights, 54, 99, 116
- Agulhas Current, 584, 587
- Aids to navigation system, 99, 109
- Air masses, 611
- Alaska Current, 587
- Aleutian Current, 587
- Allowances for Non-Uniform Propagation Rates, 404
- Almanacs, 102, 448
- Altitude measurement, 448
- Alto, 673
- Alto cumulus (Ac), 675
- Altostratus (As), 675
- Amplitude modulation (AM), 365
- Amplitude of radio waves, 357
- Amplitude of the sun by calculation, 273
- Amplitudes, 271
- AMVER network, 491
- AMVER participation, 491
- AMVER reporting, 490
- Anchorage, 174
- Anchoring procedures, 175
- Anemometer, 667
- Aneroid barometer, 663
- Angle of magnetic dip, 134
- Angle, measuring, 259
- Anomalistic month, 568
- Antarctic Circumpolar Current, 584
- Antenna characteristics, 364
- Antilles Current, 585
- Antipode, 562
- Aphelion, 218
- Apogean tides, 566
- Apogee, 218
- Apparent horizon, 236
- Apparent motion, 216, 224
- Apparent solar time, 229, 276
- Apparent wind, 667
- Arc, 259, 278
- Area calls, 466
- Areas to be avoided, 453
- Aries, 228
- Artificial horizon sextants, 266
- Artificial horizon, 266
- Astronomic latitude, 18, 232
- Astronomic longitude, 18, 232
- Astronomical Almanac, 291
- Astronomical distances, 216
- Astronomical triangle, 241
- Athwartship (A) coil, 143
- Atlantic ocean currents, 584
- Atmosphere, 603
- Atmospheric electricity, 628
- Atmospheric noise, 363
- Atmospheric pressure, 663
- Attenuation, 386
- Automated Mutual-Assistance Vessel Rescue System (AMVER), 469, 490
- Azimuth of polaris, 270
- Azimuth of the sun, 269
- Azimuthal equidistant projection, 41
- Azimuthal orthomorphic projection, 40
- Azimuthal projection, 33, 39
- Azimuths, 237

## B

- Back sight, 262
- Backwash, 600

Bank cushion, 176  
 Bank suction, 176  
 Barograph, 664  
 Barometer 663  
 Barometric pressure, 663  
 Barometric pressure, analysis of, 655  
 Baseline extension, 403  
 Baseline, 20, 403  
 Basins, 558  
 Bathymetric charts, 52  
 Bathymetric navigation, 425  
 Beach sediments, 601  
 Beacons, 114  
 Beam compasses, 159  
 Bearing (B, Brg.), 6  
 Bearing record book, 164  
 Beaufort Scale of wind force, 669  
 Benguela Current, 588  
 Blink coding, 402  
 Bobbing a light, 99  
 Body at rising, 447  
 Body at setting, 447  
 Body in zenith, 452  
 Body on prime vertical, 447  
 Bore, 565, 598  
 Bottom contour charts, 52  
 Bottom relief, 558  
 Brazil Current, 586  
 Breaker, 594  
 Breakers, classes of, 599  
 Bridge lights, 116  
 British Thermal Unit (BTU), 666  
 Buoyage systems, 122

## C

Calculations of piloting, 707  
 Calculations of the sailings, 709  
 Calculator, 8  
 Calculators in navigation, 707  
 Calendar, 229  
 California Current, 587  
 Can, 123  
 Canary Current, 586  
 Cape Horn Current, 587  
 Cardinal system, 122  
 Catalogs, 103  
 Causes of tides, 561  
 Celestial equator, 233  
 Celestial meridian, 233  
 Celestial navigation, 1  
 Celestial sphere, 215, 233  
 Celestial triangle, 241  
 Celsius (C), 666  
 Centering error, 265  
 Characteristics of lights, 117  
 Chart accuracy, 45  
 Chart classification by scale, 44  
 Chart features, 55  
 Chart graticule, 34  
 Chart lettering, 51  
 Chart lighting, 62  
 Chart numbering system, 58  
 Chart numerical scale, 44  
 Chart preparation, 160, 438  
 Chart projection, 33  
 Chart reading, 48  
 Chart scales, 44  
 Chart sounding datum, 52  
 Chart soundings, 51  
 Chart symbols and abbreviations, 126  
 Chart symbols, 49  
 Charts, 2, 33  
 Chronometer error (CE), 6, 280  
 Chronometer rate, 267, 280  
 Chronometer time, 280  
 Chronometer, 267  
 Chronometers, marine, 267  
 Circulation of the atmosphere, 603  
 Cirrocumulus (Cc), 674  
 Cirrostratus (Cs), 673  
 Cirrus (Ci), 673  
 Clamp screw vernier sextant, 261  
 Cloud formation, 672  
 Cloud height measurement, 679  
 Clouds, 672  
 Clutter, 388  
 Coaltitude, 7  
 Coast Earth Stations (CES), 465  
 Coastal charts, 45  
 Coastal current, 583  
 Coastal phase, 2  
 Coastal refraction, 360  
 Code division multiple access (CDMA), 372  
 Codeclination, 7

Cold wall, 585  
 Collimation error, 266  
 Colors of lights, 124  
 Colors of marks, 123  
 Comets, 223  
 Common establishment, 568  
 Communications, 703  
 Comparing watch, 267  
 Compass, 3  
 Compass checks, 440, 441  
 Compass compensation, 141  
 Compass error, 151  
 Compass technology, 133  
 Compasses, 3  
 Compensating coils, 144  
 Compressibility, 555  
 Conductivity-temperature-depth (CTD), 554  
 Cone topmark, 123  
 Conic projection, 37  
 Conical shapes, 123  
 Conn, 167  
 Conning Officer, 167  
 Continental shelf, 558  
 Continental slope, 558  
 Coordinate systems, 234  
 Coordinates, 18  
 Corona, 218, 231, 626  
 Correcting and Uncorrecting the Compass, 151  
 Correcting compass, 137, 138  
 Correctors, 136  
 COSPAS/SARSAT participants, 471  
 Counterglow, 223  
 Course, 5  
 Course line 5  
 Crepuscular rays, 628  
 Critical point approach, 86  
 Cross-track, 85  
 Cumulonimbus (Cb), 678  
 Cumulus (Cu), 676  
 Current, 156  
 Current diagrams, 580  
 Current ellipse, 571  
 Current meters, 575  
 Current rose, 571  
 Cygnus, 253  
 Cylindrical projection, 33, 34

## D

Danger bearings, plotting 162  
 Danger ranges, plotting 162  
 Danger soundings, 162, 439  
 Date line, 279  
 Datum shifts, 22  
 Datum, horizontal geodetic, 19  
 Davidson Current, 587  
 Day, 229  
 Dead reckoning (DR), 1, 153, 445  
 Dead reckoning plot, 153  
 Dead water, 598  
 Deck ice, 623  
 Deck log, 164, 446  
 Declination of a star, 295  
 Declination of the moon, 294  
 Declination of the sun, 294  
 Deep Scattering Layer (DSL), 483  
 Deep, 558  
 Deep-Water route, 454  
 Defense Mapping Agency Hydrographic/  
 Topo-graphic Center (DMAHTC) 11  
 Defense Mapping Agency, 11  
 Degaussing coils, 141  
 Degaussing compensation, 141, 144,  
 Degaussing effects, 143  
 Degaussing folder, 141  
 Degaussing stations, 141  
 Degaussing system, 143  
 Degaussing, 141, 147, 148, 149, 150  
 Demarcation line, 164  
 Density, 555  
 Departure (p, Dep.), 4, 154  
 Deperming, 143  
 Depth contours, 52  
 Depth conversion scale, 51  
 Depths and datums, 52  
 Developable surface, 33  
 Deviation, 3, 136, 151  
 Difference of latitude (l, Dlat.), 4  
 Difference of longitude (DLo), 4  
 Differential GPS (DGPS), 378  
 Diffraction, 362, 386  
 Digital Nautical Chart (DNC), 75  
 Digital Selective Calling (DSC), 468  
 Direct motion, 221

Direction on the earth, 5  
 Dissemination systems, 283  
 Distance on the earth, 4  
 Distances Between Ports, 102  
 Diurnal tide, 564  
 Diversion, 702  
 DNC corrections, 80  
 Doldrums, 605  
 Double high water, 566  
 Double low water, 566  
 Drag circle, 175  
 Drift currents, 584  
 Drift, 156, 572  
 Duel frequency correction techniques, 376  
 Duration of slack water, 579

## E

E layer, 361  
 Earth, 3, 219  
 East Auckland Current, 588  
 East Australian Current, 588  
 East Cape Current, 588  
 East Greenland Current, 588  
 East Wind Drift, 584  
 Ebb, 572  
 ECDIS Correction System, 79  
 ECDIS Outputs, 71  
 ECDIS Performance Standards, 65  
 ECDIS warnings and alarms, 69  
 ECDIS-N, 75  
 Eclipses, 231  
 Ecliptic, 219, 227  
 Eddy viscosity, 556  
 Effect of ice on waves, 594  
 Effects of currents on waves, 594  
 Effects of wind on the sea, 669  
 Ekman layer, 583  
 Ekman pumping, 584  
 Ekman spiral, 584  
 Ekman transport, 583  
 Electric psychrometer, 667  
 Electrical conductivity, 557  
 Electromagnetic spectrum, 358  
 Electronic chart data base, 63  
 Electronic Chart Display and Information System (ECDIS), 63  
 Electronic chart display characteristics, 67

Electronic Chart Standards, 66  
 Electronic Charts, 33, 63  
 Electronic Charts, correcting 79  
 Electronic charts, using, 82  
 Electronic navigation reports, 486  
 Electronic horn, 111  
 Electronic systems, 443  
 Ellipsoid of revolution, 17, 219  
 Emergency navigation kit, 443  
 Emergency navigation, 443  
 Endless tangent screw vernier sextant, 261  
 Energy of waves, 595  
 Enhanced Group Call (EGC), 466  
 Epicenter, 596  
 EPIRB's (Category I, II), 469  
 EPIRB's (Class A, B, S), 469  
 EPIRB's, alarm, warning, and alerting signals, 471  
 EPIRB's, testing, 470  
 Equation of time, 276  
 Equator 4  
 Equatorial Countercurrent, 588  
 Equatorial jet, 588  
 Equatorial tides, 566  
 Equatorial undercurrent, 589  
 Equinoctial, 233  
 Equipment inventory, 438  
 Error circle, 156  
 Error curve, 139  
 Errors in piloting, minimizing, 179  
 Established direction of traffic flow, 454  
 Estimated position (EP), 1  
 Estimated position, 154, 157  
 Estimated speed made good, 157  
 Estimated time of arrival, 166  
 Estimated track made good, 157  
 Estimating the wind at sea, 669  
 Evolutions prior to piloting, 165  
 Expendable bathythermograph (XBT), 554  
 Extremely high frequency, 365

## F

F layer, 360  
 Fading, 362  
 Fahrenheit (F), 666  
 False shoals, 483  
 Fast ice, 502

Fathometer log, 164  
 Fathometer operating guidelines, 440  
 Fathometer (using the), 174  
 Fault lines, 553  
 Federal Radionavigation Plan, 367  
 Fetch, 591, 670  
 Fix by range and distance, 169  
 Fix by two bearing lines, 169  
 Fix by two ranges, 168  
 Fix expansion, 155  
 Fixed aids, 114  
 Fixing position (by radar), 395  
 Flashing, magnetism, 143  
 Flaw lead, 503  
 FleetNET, 466  
 Flinders bar, 137  
 Floating derelicts, 480  
 Flood, 572  
 Florida Current, 585  
 Fog, 623, 672, 696  
 Forecasting weather, 630  
 Forecastle (F) coil, 143  
 Foreign chart reproduction, 56  
 Frazil ice, 499  
 Frequency modulation (FM), 365  
 Fronts, 613

## G

Galactic nebula, 224  
 Galileo System, 379  
 Gauss, 141  
 Gaussian error, 141  
 Gegenschein, 223  
 General charts, 45  
 General circulation, 607  
 General direction of buoyage, 124  
 Geocentric latitude, 19, 233  
 Geodesic, 3  
 Geodesy, 17  
 Geodetic latitude, 18, 232  
 Geodetic longitude, 19, 232  
 Geodetic survey, 19  
 Geodetic systems, 21  
 Geographic latitude, 233  
 Geographic longitude, 233  
 Geographic range, 98  
 Geometric dilution of precision (GDOP), 375

Geostrophic equilibrium, 584  
 Glacier, 495  
 Glasses shade, 260  
 Global Maritime Distress and Safety System, 463  
 Global Positioning System (GPS), 9, 371  
 Globular clusters, 224  
 Gnomonic projection, 34, 39  
 GPS signal coding, 373  
 Graduation errors, 265  
 Gravity waves, 591  
 Gray-white ice, 501  
 Grease ice, 499  
 Great circle, 3  
 Great circle charts, 40  
 Great circle track, 5  
 Great Lakes ice, 516  
 Green flash, 627  
 Greenwich Hour Angle (GHA), 234  
 Greenwich time, 230  
 Grids, 43  
 Ground swell, 594  
 Groundwave, 361  
 Group calls, 466  
 Group time delay, 376  
 Group velocity, 593  
 Guinea Current, 586  
 Gulf Stream, 585  
 Gyrocompass, 3

## H

Halos, 625  
 Handle, sextant, 260  
 Harbor charts, 45  
 Harbor/harbor approach phase, 2  
 Harmonic constants, 575  
 Harmonic tide plane, 569  
 Harvest moon, 222  
 Haze, 623  
 Heading relationships, 151  
 Hectopascal (hPa), 663  
 Heeling coil, 144  
 Heeling magnet, 137  
 Height error, 665  
 Heights, 53  
 Hertz, 358  
 High Clouds, 673  
 High frequency, 364

High tide, 563  
 High water datums, 570  
 Horizon glass, 260  
 Horizontal geodetic datum, 19  
 Horse latitudes, 607  
 Humboldt Current, 588  
 Humidity, 667  
 Hunter's moon, 222  
 Hydraulic current, 571  
 Hydrograms, 104  
 Hydrographic surveys, 25  
 Hygrometer, 667

### I

IALA Cardinal Marks, 124  
 IALA Isolated Danger Mark, 125  
 IALA Lateral Marks, 124  
 IALA Maritime Buoyage System, 122  
 IALA New Dangers, 126  
 IALA Safe Water Marks, 125  
 IALA Special Marks, 125  
 Ice cake, 501  
 Ice cap, 495  
 Ice detection, 509  
 Ice field, 501  
 Ice floes, 501  
 Ice forecasts and observations, 520  
 Ice front, 497  
 Ice operations, 513  
 Ice rind, 499  
 Ice wall, 497  
 Ice, 480, 671, 697  
 Ice, density of, 506  
 Icebergs in the North Atlantic, 498  
 Icebergs, 495  
 Identification of stars, 242  
 Index arm, 259  
 Index error, 266  
 Index mirror, 260  
 Indian Ocean Currents, 588  
 Indian spring low water (ISLW), 569  
 Indian tide plane, 569  
 Induced magnetism, 141  
 Inertial navigation, 1, 333  
 Inertial navigation system, 9, 333  
 Inferior conjunction, 220  
 Inferior planets, 219

Inland Waterway Phase, 2  
 Inmarsat (International Maritime Satellite Organization), 465  
 INMARSAT C, 466  
 Inshore current, 583  
 Inshore traffic zone, 454  
 Instrument error, 665  
 Integrated bridge, 74  
 Intercardinal coils, 144  
 Interference, 363  
 Internal waves, 598  
 International Association of Lighthouse Authorities, 14, 123  
 International charts, 57  
 International Hydrographic Bureau (IHB), 57  
 International Hydrographic Organization (IHO), 12, 57  
 International Maritime Organization (IMO), 13  
 International Regulations for Preventing Collision, 13  
 Interpreting weather, 633  
 Intracoastal Waterway aids to navigation, 128  
 Ion, 359  
 Ionosphere, 359  
 Ionospheric delay errors, 375  
 Irminger Current, 586  
 Island shelf, 558  
 Island slope, 558  
 Isobars, 663

### J

Jamming, 363  
 Japan Current, 587  
 Jupiter, 221

### K

Kamchatka Current, 587, 589  
 Knot (kn.), 4  
 Kuroshio Current, 587

### L

Labrador Current, 586  
 Lagging tides, 566  
 Lambert conformal projection, 38  
 Land Earth Stations (LES), 465  
 Land effect, 360  
 Land ice, 495

- Large-scale chart, 44
  - Lateral and cardinal systems, 122
  - Lateral marks, 123
  - Latitude (L, lat.), 4, 232, 697
  - Latitude, finding, 6, 451
  - Leap seconds, 286
  - Leap-second adjustments, 286
  - Leeuwin Current, 588
  - Leeway, 156
  - Length of the day, 451
  - Leveling, 20
  - Light characteristics, 117
  - Light Lists, 96
  - Light sectors, 120
  - Light-year, 217
  - Limb, 259
  - Line of apsides, 218
  - Line of position, 7
  - List of Lights, 99
  - Local Hour Angle (LHA), 234, 282
  - Local Mean Time (LMT), 282
  - Local Notice To Mariners, 104
  - Local time, 230
  - Local wind names, 608
  - Local winds, 621
  - Log, 3
  - Longitude (l, long.), 4, 232
  - Longitude, finding, 6
  - Longitudinal (L) coil, 143
  - Longshore current, 583, 601 Loop Current, 585
  - Loran C Signal, 400
  - Loran C Theory, 403
  - Low clouds, 673, 676
  - Low frequency, 364
  - Low tide, 563
  - Low water datum, 569
  - Low Water Datums, 569
  - Lower branch, 3, 233
  - Lower low water datum, 569
  - Lowest low water, 569
  - Lowest normal low water, 569
  - Loxodromic curve, 4
  - Luminous range, 96
  - Lunar day, 230
  - Lunar distance, 7
  - Lunar eclipse, 232
  - Lunar month, 568
  - Lunitidal interval, 568
- M**
- Magnetic adjustment, 136
  - Magnetic disturbances, 486
  - Magnetic fields, 133
  - Magnetic heading, 151
  - Magnetic poles, 133
  - Magnetic signature, 141
  - Magnitude ratio, 217
  - Magnitudes, 217
  - Main (M) coil, 142
  - Major light, 114
  - Major wind patterns, 605
  - Malvinas Current, 586
  - Maneuvering to avoid the storm center, 656
  - Manganese nodules, 559
  - Marcq Saint Hilaire, 103
  - Marine chronometer, 267
  - Marine information reports, 484
  - Marine microbarograph, 664
  - Marine sediments, 559
  - Marine sextant, 259
  - Maritime Safety Information (MSI), 104, 106, 463, 466
  - Mars, 221
  - Mean high water (MHW), 570
  - Mean high water lunitidal interval, 568
  - Mean high water springs (MHWS), 570
  - Mean higher high water (MHHW), 570
  - Mean low water (MLW), 569
  - Mean low water springs (MLWS), 569
  - Mean lower low water (MLLW), 569
  - Mean lower low water springs (MLLWS), 569
  - Medium frequency, 364
  - Mercator projection, 33, 34
  - Mercurial barometer, 663
  - Meridian, 3
  - Meridian altitude, 451
  - Meridian angle, 233
  - Meridian transit, 234, 447
  - Meridional parts (M), 35
  - Meteor showers, 223
  - Meteor swarms, 223
  - Meteors, 223
  - Micrometer drum sextant, 259

Micrometer drum, 260  
 Microwaves, 358  
 Middle level clouds, 673, 675  
 Mid-latitude (Lm), 4  
 Military ECDIS, 75  
 Mindanao Current, 588  
 Mines, 482  
 Minimum expected sounding, 439  
 Minor light, 114  
 Mirage, 624  
 Miscellaneous chart features, 55  
 Mist, 624  
 Mixed tide, 565  
 Modified facsimile charts, 56  
 Modified Lambert conformal, 42  
 Modulation, 365  
 Moon, 221  
 Moonrise, 297  
 Moonset, 297  
 Most probable position (MPP), 444

## N

Nadir, 233  
 National Marine Electronic Association (NMEA), 15  
 National tidal datum epoch, 571  
 Nautical Almanac, 291, 294  
 Nautical chart, 33  
 Nautical mile, 3  
 Nautical texts, 91  
 NAVAIDS, 160  
 Navigation, four phases of, 2  
 Navigational astronomy, 215  
 Navigational tables, 8  
 Navigational triangle, 6, 241  
 Navigator, 167  
 NAVTEX, 468  
 Navy Navigation Satellite System (NAVSAT), 9, 371  
 Neap tides, 566  
 Nebula, 224  
 Negative pole, 134  
 Neptune, 221  
 Network Coordination Station (NCS), 465  
 New danger, 126  
 New Guinea Coastal Current, 588  
 Ney's projection, 42

Night effect, 362  
 Night observations, 671  
 Night orders, 440  
 Nilas, 499  
 Nimbostratus (Ns), 678  
 Nimbus, 673  
 No. 2102D, star finder, 255  
 NOAA BSB format, 74  
 Nodal period, 568  
 Nodes, 231  
 Noise, 363  
 Nominal range, Nontidal current, 571  
 North American Datum 1983, 22  
 North Atlantic Current, 586  
 North Cape Current, 586  
 North Equatorial Countercurrent, 585, 586  
 North Equatorial Current, 585, 586, 587  
 North Pacific Current, 587  
 North pole, 134  
 North wall effect, 696  
 Northeast Drift Current, 586  
 Norway Current, 586  
 Notice To Mariners, 104  
 Nova, 224

## O

Oblique gnomonic projection, 40  
 Oblique Mercator projections, 36  
 Oblique orthomorphic projection, 36  
 Obliquity of the ecliptic, 227  
 Ocean current observations, 589  
 Ocean current phenomena, 589  
 Ocean current reports, 489  
 Ocean currents and climate, 589  
 Ocean currents, 696  
 Ocean currents, causes, 583  
 Ocean eddies and rings, 589  
 Ocean phase, 2  
 Ocean pressure, 555  
 Ocean temperature, 554  
 Ocean waves, 591  
 Oceanic circulation, 584  
 Oceanographic chemistry, 553  
 Oceanography, 553  
 Offshore current, 583  
 Open cluster, 224



Opposition, 221  
 Origin of the oceans, 553  
 Orion, 248  
 Orthographic projection, 34, 41  
 Orthomorphic projection, 33  
 Oscillatory wave, 594  
 Overfalls, 594  
 Oyashio Current, 587

## P

Pacific ocean currents, 587  
 Pancake ice, 501  
 Parallax, 451  
 Parallel, 4  
 Pegasus, 248  
 Perigean spring tides, 566  
 Perigean tides, 566  
 Perigee, 218  
 Perihelion, 218  
 Periodic current, 583  
 Permanent magnetism, 136  
 Permanent magnets, 137  
 Perspective projections, 34  
 Peru Current, 588  
 Phase characteristics of lights, 124  
 Phase coding, 402  
 Photosphere, 218  
 Pillar buoys, 123  
 Piloting 1, 159  
 Piloting brief, 165  
 Piloting procedures, 172  
 Pilots, sailing directions, 3  
 Plan position indicator (PPI), 384  
 Plane projections, 34  
 Planet diagram, 253  
 Plates, 553  
 Plotting running fixes, 177  
 Plotting sheets, 43, 444  
 Plotting the DR, 154  
 Plunging breaker, 599  
 Pluto, 221  
 Polar charts, 42  
 Polar distance (p), 234  
 Polar projection, 42  
 Polar winds, 607  
 Polaris, 447  
 Polarization error, 362

Polarization, 359  
 Polyconic projection, 33, 39  
 Port information reports, 486  
 Positive pole, 134  
 Precautionary area, 454  
 Precipitation, 671  
 Precise positioning service (PPS), 373  
 Prime meridian, 2  
 Priming tides, 566  
 Prismatic error, 264  
 Projections, 33  
 Proper motion, 224  
 Pseudorandom noise (PRN), 372  
 Psychrometer, 667  
 Psychrometric tables, 667  
 Pulse modulation (PM), 366

## Q

Quadrantal spheres, 137  
 Quarterdeck (Q) coil, 143  
 Quartz crystal marine chronometers, 267

## R

Racons, 393  
 Radar beacons, 392  
 Radar interpretation, 386  
 Radar navigation, 1  
 Radar piloting, 395  
 Radar ranges, 168  
 Radar reflectors, 392  
 Radar, development of, 9  
 Radial motion, 224  
 Radiation fog, 623  
 Radio navigation, 1  
 Radio Navigational Aids (Pub. 117), 100  
 Radio propagation factors, 284  
 Radio spectrum, 358  
 Radio Technical Commission for Maritime Services, 14  
 Radio wave propagation, 284, 357, 545  
 Radio waves, 357  
 Radioactivity, 557  
 Rage sea, 595  
 Rainbow, 625  
 Ramarks, 393  
 Rams, 497  
 Range lights, 114

- Ranges, 162
  - Raster chart display system (RCDS), 64
  - Raster navigation chart (RNC), 64
  - Receivers, 366
  - Recommended direction of traffic flow, 454
  - Recommended routes, 453, 454
  - Recommended track, 454
  - Recording observations, 684
  - Rectangular projection, 37
  - Reference plane, 569
  - Reflection, 359
  - Refraction of radio waves, 360
  - Refraction, 235, 386, 451, 594, 599
  - Registered Information Provider, 466
  - Regression of the nodes, 232
  - Regulated waterways, 462
  - Regulation of frequency use, 365
  - Relative accuracy, 405
  - Relative humidity, 667
  - Relative motion, 216
  - Release, 259
  - Repeatable accuracy, 405
  - Representative fraction, 44
  - Requirements, ECDIS, 64
  - Resolution in bearing, 386
  - Resolution in range, 386
  - Retentive error, 140
  - Retrograde motion, 221
  - Revolution, 217
  - Rhumb line, 4
  - Rip currents, 601
  - Ripples, 591
  - Rotation, 217
  - Roundabout, 453
  - Route planning and monitoring, 83
  - Route reports, 490
  - Routing system, 453
  - Royal Greenwich Observatory, 12
  - Rules of dead reckoning, 154
  - Running fix, 169
- S**
- Safe Water Marks, 125
  - Safety contour, 85
  - Safety of Life at Sea (SOLAS), 13
  - Safety report messages, 482
  - SafetyNET, 466
  - Sailing charts, 45
  - Sailing Directions, 3
  - Sailing Directions (Planning Guide), 91
  - Salinity, 553
  - Sand bars, 601
  - Sargasso Sea, 586
  - Saros, 232
  - SART Range, 474
  - Satellite navigation, 1
  - Satellite oceanography, 560
  - Saturn, 221
  - Scale, 44
  - Sea ice, 499
  - Sea ice, drifting, 506
  - Sea ice, salinity, 505
  - Sea ice, thickness, 503
  - Sea level pressure, 666
  - Search and acquisition, 400
  - Seasonal current, 583
  - Secant conic projection, 38
  - Secchi disk, 557
  - Sectors of lights, 120
  - Seiche, 597
  - Seismic sea waves, 596
  - Semidiameter, 451
  - Semidiurnal tide, 564
  - Semidiurnal, 572
  - Separation zone, 453
  - Set, 156, 572
  - Sextant care, 264
  - Sextant errors, adjustable, 265
  - Sextant errors, non adjustable, 264
  - Sextant moon sights, 261
  - Sextant reading, 262
  - Sextant star sights, 261
  - Sextant sun sights, 261
  - Sextant verticle angles, 169
  - Shade glasses, 260
  - Shallow water, 671
  - Shapes of marks, 123
  - Ship Earth Stations (SES), 465
  - Ship simulators, 181
  - Ship's heading, 151
  - Ship's magnetism, 136
  - Shoaling, 594
  - Shoals, 480
  - Shore lead, 503

- Shore lights, 120, 124
- Shuga,, 499
- Side error, 265
- Sidereal day, 229
- Sidereal Hour Angle, 228
- Sidereal month, 221
- Sidereal time, 229, 282
- Sight Reduction Tables, 103
- Sight reduction, 309, 549
- Signal range, 364
- Signal-to-noise ratio (SNR), 405
- Simple conic projection, 37
- Skip distance, 361
- Sky coloring, 624
- Sky diagrams, 244
- Slack water, 571
- Slide Bar, 162
- Sling psychrometer, 667
- Small circle, 3
- Small craft charts, 45
- Small-scale chart, 44
- Smog, 624
- Solar eclipse, 231
- Solar prominences, 232
- Solar System, 217
- Solar tide, 565
- Solar time, 275
- Solar wind, 219
- Somali Current, 588
- Sound signals, 121
- Sound speed, 556
- Sounding datum, 569
- Sounding reports, 483
- Soundings, 51
- South Atlantic Current, 587
- South Equatorial Current, 585, 588
- South Java Current, 588
- South Pole, 134
- Southeast Drift Current, 586
- Southern hemisphere routing, 703
- Southern Ocean Currents, 584
- Southwest Monsoon Current, 588
- Space segment, 465
- Spar, 123
- Special charts, 43
- Special environmental problems, 702
- Special Marks, 125
- Special Notice to Mariners paragraphs, 104
- Special purpose buoys, 110
- Special tidal effects, 565
- Specific heat, 556
- Speed (S), 4
- Speed made good (SMG), 5
- Speed of advance (SOA), 4
- Speed over the ground (SOG), 5
- Spherical buoys, 123
- Spherical triangle, 241
- Spicules, 499
- Spilling breaker, 599
- Spitsbergen Current, 586
- Spring tides, 566
- Squat, 176
- Stadimeter ranges, 169
- Standard parallel, 37
- Standard time broadcasts, 284
- Standing orders, 440
- Standing waves, 597
- Star charts, 244
- Star clouds, 224
- Star finder, 244, 255
- Star globe, 244
- Stars, 223, 242
- Station pressure, 665
- Steering error, 155
- Stereographic projection, 34, 40
- Storm tides, 596
- Stratocumulus (Sc), 677
- Stratus (St), 677
- Stream, 584
- Subastral point, 241
- Sublunar point, 241, 562
- Subpermanent magnetism, 136
- Subpolar regions 525
- Subsatellite point, 241
- Subsolar point, 241
- Substellar point, 241
- Summary of Corrections, 106
- Sumner line, 7
- Sun, 218
- Sunspots, 218
- Super high frequency, 365
- Superior conjunction, 220
- Superior planets, 221
- Supernova, 224

Super-refraction, 360  
 Supersaturated, 667  
 Surf, 594  
 Surging breaker, 599  
 Sweat, 667  
 Swell, 591, 671  
 Swing circle, 175  
 Synodic period, 221  
 Synodical month, 568  
 Synoptic oceanography, 560  
 Synoptic weather considerations, 697

## T

Tabular iceberg, 503  
 Taking a sight, 261  
 Taking departure, 154  
 Tangent screw, 259  
 Tasman Front, 588  
 Telescope, 260  
 Temperature, 666  
 Temperature error, 666  
 Temperature measurement, 666  
 Temporary geographic grid (TGG), 44  
 Terrestrial magnetism, 134  
 The Sailings, 193  
 Thermal conductivity, 557  
 Thermal expansion, 557  
 Thermocline, 554  
 Thermohaline, 583  
 Thermometer, 666  
 Tidal current charts, 580  
 Tidal current periods and cycles, 572  
 Tidal current tables, 578  
 Tidal current, 156, 571  
 Tidal currents, 571, 576  
 Tidal cycles, 566  
 Tidal day, 568  
 Tidal heights, 575  
 Tidal waves, 596  
 Tide calculations, 575, 708  
 Tide predictions for reference stations, 576  
 Tide predictions for subordinate stations, 577  
 Tide Tables, 576  
 Tide waves, 598  
 Time balls, 6  
 Time delay lattice, 400  
 Time difference, 400  
 Time meridian, 279  
 Time of sunset, 296  
 Time sight, 7  
 Time signals, 284  
 Time, 229  
 Topmarks, 124  
 Track made good by plotting running fixes, 177  
 Tracking and lock phase, 400  
 Trackline SURPIC, 493  
 Tractive forces, 562  
 Trade winds, 605  
 Traffic lane, 453  
 Traffic separation scheme, 453, 454  
 Transfer, 161  
 Transit of the sun, 220  
 Transition to piloting, 166  
 Transmissometer, 557, 684  
 Transparency, 557  
 Transverse Mercator projections, 35  
 Transverse orthomorphic projection, 35  
 Transverse projections, 33  
 Traverse, 20  
 Triangulation, 20  
 Trilateration, 20  
 Tropic higher high water (TcHHW), 571  
 Tropic lower low water (TcLLW), 569  
 Tropic tides, 566  
 Tropical month, 568  
 Tropical year, 231  
 True heading, 151  
 True wind, 667  
 Tsunamis, 596  
 Tsushima Current, 587  
 Turbidity currents, 559  
 Turning point, 161  
 Twilight, 296  
 Two-way route, 454  
 Types of marks, 123

## U

U.S. Coast and Geodetic Survey, 9  
 Ultra high frequency, 365  
 Undercurrents, 589  
 United States Coast Guard, 11  
 United States Naval Observatory, 11  
 United States Navy, 11  
 Universal polar stereographic (UPS) grid, 41, 44

Universal time, 229  
 Universal Transverse Mercator (UTM), 36, 44  
 Upper air observations, 684  
 Upper branch, 3, 233  
 Uranus, 221  
 Ursa Major, 251  
 USCG Light Lists, 99  
 Use and stowage of charts, 61  
 User equivalent range error (UERE), 375  
 Using charts, 61

**V**

Variable stars, 224  
 Variation 3, 134, 151  
 Vernier sextant, 261  
 Vernier, 260  
 Vertical surveying, 20  
 Very high frequency, 365  
 Very low frequency, 364  
 Vessel Traffic Services (VTS), 457  
 Viscosity, 555  
 Visibility, 684  
 Visibility measurement, 684  
 Visible horizon, 236  
 Voluntary Observation Ship (VOS) program, 664  
 Voyage preparation, 438  
 VTS Houston-Galveston, 460  
 VTS Prince William Sound, 460  
 VTS Puget Sound, 459

**W**

Warning Sounding, 439  
 Warship ECDIS (WECDIS), 78  
 Watch relief procedures, 440  
 Watch Time (WT), 281  
 Waterspout, 622  
 Wave characteristics, 591  
 Wave front, 358  
 Wave height, 695  
 Wave interference, 359  
 Wave measurement aboard ship, 595  
 Wave period (P), 591  
 Wavelength, 358, 591

Waves, causes, 591  
 Waypoints, 87, 400  
 Weather forecast dissemination, 631  
 Weather observations, 663  
 Weather routing, 693  
 Weather, 603  
 West Greenland Current, 586  
 West Wind Drift, 584  
 Western Rivers System, 128  
 Wind driven currents, 583  
 Wind measurement, 667  
 Wind shifts, 671  
 Wind speed, 669  
 Wind vane, 667  
 Wind, 695  
 Wind's duration, 669  
 World Geodetic Reference System (GEOREF), 44  
 World Geodetic System of 1960, 21  
 World Geodetic System of 1972, 21  
 World Geodetic System of 1984, 21  
 World Geodetic System, 21 World Port Index Pub. 150, 100  
 Wrecks/man-made obstructions, 480

**X**

X-shaped topmarks, 124

**Y**

Year, tropical, 229  
 Young ice, 501

**Z**

Zenith distance, 237  
 Zenith, 233  
 Zenithal projection, 33, 39  
 Zodiac, 229  
 Zodiacal light, 223  
 Zone description (ZD), 279  
 Zone meridian, 279  
 Zone time (ZT), 230, 279