

A

- Aberration, 247
- Absolute accuracy, 446
- Absorption bias, 463
- Accelerations, 388
- Accelerometers, 384
- Accuracy, 27
- Additional Secondary Factors (ASF), 446, 450
- Adjustable errors, 292
- Advance, 198
- Advanced piloting techniques, 213
- Advection fog, 663
- Aeronautical charts, 62
- Aeronautical lights, 76, 137
- Age of the Moon, 242
- Agonic, 155
- Agulhas Current, 625, 627
- Aids to Navigation System, 130
- Aids to Navigation, 76, 130
- Air Almanac, 265, 331
- Air draft, 200
- Air masses, 651
- Air temperature correction, 299
- Alaska Current, 626
- Alaska Stream, 626
- Aleutian Current, 626
- Algae, 598
- Alignment errors, 461
- Almanacs, 122, 331, 333, 489
- Alternating current, 402, 408
- Alternating, 138
- Altitude intercept (a), 349
- Altitude intercept, 297
- Altitude measurement, 256, 489
- Altitude of bodies, 342
- Altitude, 254
- Altocumulus (Ac), 711
- Altostratus (As), 709
- Amplitude angle, 374
- Amplitude modulation (AM), 410
- Amplitude of radio waves, 402, 407
- Amplitude, 372, 374, 745
 - by calculation, 298, 378
 - by visible horizon, 376
- Amplitudes, 374
- AMVER Communications Network, 532
- AMVER participation, 533
- Anabolic wind, 658
- Anchoring procedures, 211
- Anemometer, 703
- Aneroid barometer, 23, 699
- Angular length, 256
- Annular eclipse, 252
- Anomalistic month, 607
- Anomalistic year, 248
- Antarctic Circle, 249
- Antarctic Circumpolar Current, 623
- Antenna characteristics, 408
- Anthelion, 666
- Anticrepuscular rays, 668
- Anticyclone, 652
- Antilles Current, 624
- Antiselenene, 666
- Anti-spoofing, 418
- Aphelion, 238
- Apogean tides, 607
- Apogee, 238, 241
- Apparent horizon, 255
- Apparent motion, 235, 245
- Apparent solar day, 237, 309
- Apparent solar time, 251
- Apparent Sun, 250
- Apparent wind, 703
- Arctic Circle, 249
- Arctic Currents, 627
- Arctic navigation, 575
- Arctic sea smoke, 663
- Arcturus, 272
- Area calls, 507
- Area to be avoided, 495
- Aries, 249, 253, 269
- Army Corps of Engineers, 124
- Artificial horizon, 295
- Artificial-horizon corrections, 303
- Assumed latitude, 351
- Assumed longitude, 351
- Assumed position (AP), 262, 349, 354
- Astronomic latitude, 20, 252
- Astronomic longitude, 20, 252
- Astronomical Almanac, 331
- Astronomical distances, 236
- Astronomical refraction, 299
- Astronomical triangle, 263
- Astronomical unit (au), 236

- Astronomical year, 248
- Athwartship coil, 181
- Atmosphere, 593, 643
- Atmospheric electricity, 668
- Atmospheric noise, 408
- Atmospheric pressure correction, 299
- Atmospheric pressure, 23, 595, 597, 664, 699, 701
- Atmospheric refraction, 299
- Atomic based timekeeping, 308
- Attenuation, 408, 429, 597
- Augmentation, 300
- Aurora australis, 570
- Aurora borealis, 570
- Aurora, 239, 669
- Automated Mutual-Assistance Vessel Rescue System (AMVER), 510, 531
- Automatic Identification System (AIS), 146, 498, 513
- Autonomous free-drifting buoy, 628
- Autonomous platforms, 55
- Autumn, 248
- Autumnal equinox, 248
- Avoiding tropical cyclones, 692
- Azimuth angle, 257, 745
- Azimuthal Equidistant Projection, 64
- Azimuthal Orthomorphic Projection, 63
- Azimuthal Projection, 62
- Azimuthal, 56, 62
- Azimuths, 254, 257
- B
- Back sight, 289, 307
- Backwash, 640
- Bagyo, 675
- Baily's Beads, 251
- Ballistic damping error, 184
- Ballistic deflection error, 184
- Bank cushion, 213
- Bank suction, 213
- Baric Wind Law, 652
- Barograph, 700
- Barometer, 595, 699
- Barometric pressure, 699
- Barometric pressure, analysis of, 694
- Barycenter, 601
- Bascule bridges, 137
- Baseline length (BLL), 444
- Baseline travel time (BTT), 444
- Baseline, 445
- Basins, 593, 598
- Bathymetric charts, 74
- Bathymetric Light Detection and Ranging (LI-DAR), 51
- Bathymetric navigation, 4, 466
- Bayer's Name, 265
- Beacons, 135
- Beam compasses, 196
- Beamwidth, 463
- Bearing record book, 201
- Beaufort Scale of Wind Force, 705
- BeiDou Navigation Satellite System (BDS), 424
- Bells, 142
- Benguela Current, 625, 627
- Bergy bit, 521, 538, 540
- Binary offset carrier (BOC), 757
- Binary Phase Shift Keying (BPSK), 757
- Binary star system, 245
- Blackout Zone, 580
- Blink coding, 444
- Blizzard, 661
- Body at rising or setting, 488
- Body in zenith, 493
- Body on prime vertical, 488
- Bolide, 244
- Bore, 605, 638
- Bottom relief, 598
- Brazil Current, 625
- Breaker, 634
- Bridge lights, 137
- Bridge Navigational Watch & Alarm System (BNWAS), 483
- Bridge Resource Management, 475
- Bridge Team Management, 476
- British Thermal Unit (BTU), 701
- Buoyage systems, 17, 142
- Buoys, 130
 - Audible signals, 132
 - Bell, 132
 - Large navigational, 134
 - Lights, 132
 - Maintenance, 134
 - Moorings, 132
 - Ocean Data Acquisition System (ODAS) 131
 - Seasonal, 133

- Shapes, 144
- Sound, 132
- Western Rivers, 133
- Whistle, 132
- Wrecks, 133
- Bureau International des Poids et Mesures (BIPM), 308
- Buys Ballot's Law, 652, 693
- C
- Calculations, of meteorology, 746
- Calculations, of the sailings, 745
- Calendar, 250
- California Current, 405, 626
- Calorie, 701
- Calve, 538, 540
- Canadian Ice Service (CIS), 521, 563
- Canary Current, 625
- Cans, 147
- Canyons, 468
- Cape Horn Current, 625
- Cardinal system topmarks, 144
- Cardinal system, 142
- Cartography, 48
- Cat's paw, 661
- Catalog Number, 265
- Category Zones of Confidence (CATZOC), 52
- Causes of tides, 601
- Celestial equator system, 254
- Celestial equator, 253
- Celestial horizon, 255
- Celestial meridian, 253
- Celestial navigation, 4, 284
 - High latitudes, 588
 - Routine, 379
- Celestial observations,
 - High latitudes, 588
- Celestial sphere, 235, 253
- Celestial triangle, 262
- Celestial, 256
- Celsius (C), 701
- Centering error, 292
- Characteristics of lights, 138
- Chart lighting, 84
- Chart No. 1, 121
- Chart numbering system, 80
- Chart preparation, 197, 480
- Chart projection, 56
- Chart reading, 71
- Chart symbols, 72
- Chart, 146
 - Accuracy, 68
 - Corrections, 105
 - Scales, 67
 - Soundings 73
- Charts, 5, 83, 572
 - Coastal, 68
 - General, 68
 - Harbor, 68
 - Raster chart, 88
 - Sailing, 68
 - Small craft, 68
 - Vector chart, 88
- Chinook, 661
- Chronometer error, 9, 318
- Chronometer rate, 318
- Chronometer time, 312, 318
- Chronometer, 295
- Circle of equal angle, 221
- Circle, 490
- Circles of latitude, 257
- Circles of longitude, 257
- Circular probable error, 33
- Circulation of the atmosphere, 643
- Circumpolar, 246
- Circumzenithal arc, 665
- Cirrocumulus (Cc), 709
- Cirrostratus (Cs), 709
- Cirrus (Ci), 709
- Civil time, 316
- Clarinet Pilgrim (CP), 453
- Climate, 643
- Cloud formation, 708
- Cloud height measurement, 719
- Clouds, 708
- Clutter, 431
- Coaltitude, 9
- Coast Earth Stations (CES), 506
- Coast Pilots, 118
- Coastal charts, 68
- Coastal current, 622
- Coastal refraction, 405
- Code division multiple access (CDMA), 416
- Codeclination, 9
- Coding delay (CD), 444

- Coefficients (compass), 165
- Cold front, 653
- Cold wall, 624
- Comets, 244
- Commercial ship tracking, 518
- Common errors, 216
- Common year, 247
- Communications, 737
- Compass card, 167
- Compass checks, 482
- Compass compensation, 180
- Compass correction, 176
- Compass error, 6, 156, 189, 217
- Compass north, 156
- Compass, 6
 - Correcting, 189
 - Uncorrecting, 189
- Compasses, 152
- Compensating coils, 182
- Composite sailing, 232
- Compressibility, 595
- Computed altitude (Hc), 349, 744
- Computer sight reduction, 348
- Conductivity-temperature-depth (CTD), 594
- Conic projection, 60
- Conical buoy, 144
- Conjunction, 240
- Conning Officer, 203
- Constant error, 27
- Constant of the cone, 574
- Constellations, 245
- Continental shelf, 598
- Continental slope, 598
- Contour advancing, 470
- Contrary-Same Line, 355
- Converting, Thermometer scales, 746
- Coordinate systems, 254, 391
- Coordinated Universal Time (UTC), 308
- Coordinates, 20
- Coriolis acceleration, 388
- Coriolis force, 652
- Corona Borealis, 272
- Corona, 239, 666
- Correcting (compass), 159
- Correcting altitudes,
 - of the Moon, 304
 - of the Planets, 305
 - of the Stars, 305
 - of the Sun, 304
- Cospas-Sarsat System, 511
- Counter glow, 244
- Course (C, Cn), 8
- Course line, 8
- Course of advance (COA), 8
- Course over ground (COG), 8
- Crepuscular rays, 668
- Crescent, 242
- Crossing angles and gradients, 448
- Crowd Sourced Bathymetry, 54
- C-S Line, 355
- Culmination, 255
- Cumulonimbus (Cb), 716
- Cumulus (Cu), 714
- Current diagrams, 619
- Current ellipse, 610
- Current meters, 614
- Current rose, 610
- Current, 193, 601
- Currents, 201
- Cyber-security, 111
- Cyclone, 652
- Cygnus, 274
- Cylindrical projection, 56
- D
 - Damage to Aids to Navigation, 151
 - Danger angle, 224
 - Danger bearings, 199
 - Danger ranges, 200
 - Danger soundings, 200
 - Date line, 316
 - Datum shift, 24
 - Davidson Current, 626
 - Day, 250
 - Daybeacons, 76, 137
 - Daylight saving time, 318
 - Dead reckoning (DR), 4, 190, 191, 486
 - Dead reckoning plot, 190
 - Dead reckoning, accuracy, 193
 - Dead water, 638
 - Decibar, 595
 - Deck ice, 662
 - Deck log, 201, 487
 - Declination, 253, 254, 354
 - of a planet, 335

- of a star, 335
 - of the Moon, 334
 - of the Sun, 334
- Deep Scattering Layer (DSL), 524
- Deep, 598
- Deep-Water route, 495
- Defense Mapping Agency, 14
- Degaussing coils, 180
- Degaussing compensation, 180, 182
- Degaussing effects, 181
- Degaussing stations, 180
- Degaussing system, 181
- Degaussing, 179
- Delta T, 309
- Demarcation line, 200
- Density, 595
- Departure, 7
- Deperming, 181
- Depressed pole, 256
- Depth contours, 73
- Depth conversion scale, 73
- Developable surface, 56
- Deviation table, 156
- Deviation, 6, 156, 189
- Diaphones, 142
- Difference of latitude, 7
- Difference of longitude, 7
- Differential GPS (DGPS), 413, 422
- Diffraction, 407, 429
- Digital chart accuracy, 105
- Digital Nautical Chart (DNC), 99, 776
- Digital Selective Calling (DSC), 509
- Dilution of precision, 419
- Dip correction, 744
- Dip, 297, 492
- Direct current, 402
- Direct motion, 240
- Direction on the Earth, 8
- Discolored water, 522
- Dissemination systems, 321
- Distance to the radar horizon, 744
- Distance to the visible horizon, 744
- Distances Between Ports, 121
- Distances Between United States Ports, 122
- Diurnal change, 154
- Diurnal circle, 245
- Diurnal tide, 604
- DNC corrections, 103
- DNC, 99, 776, 778
- Doldrums, 645
- Doppler effect, 457
- Doppler principle, 457
- Doppler shift, 458
- Doppler sonar navigation, 457
- Doppler theory, 459, 463
- Doppler Velocity Logs (DVLs), 457
- Double high water, 606
- Double low water, 606
- Double star system, 245
- Double-second difference, 361
- Doubtful hydrographic data, 525
- Drag circle, 212
- Drift currents, 623
- Drift, 193, 201, 611
- Dual rating, 442
- Duel frequency correction techniques, 420
- Duration of slack water, 619
- Dust whirl, 661
- Dynamical mean sun, 311
- E
- Earth, 6, 239
 - Loop oscillation, 394
 - Rotation, 386
 - Shape of the Earth, 19
- East Auckland Current, 626
- East Australian Current, 626
- East Cape Current, 626
- East Greenland Current, 625, 627
- Ebb, 611
- Eccentricity, 19
- ECDIS, 88, 190, 196
 - Correction system, 102
 - Outputs, 95
 - Performance standards, 89
 - Training and simulation, 111
 - Warnings and alarms, 92
 - Warship ECDIS (WECDIS), 100, 779
 - Waypoints, 110
- ECDIS-N, 99
- Echo sounders, 50, 467
- Eclipses, 251
- Ecliptic system, 257
- Ecliptic, 239, 248, 257
- Eddies, ocean, 627

- Eddy viscosity, 596
- Ekman layer, 622
- Ekman spiral, 623
- Ekman transport, 548, 622
- Electric psychrometer, 702
- Electrical conductivity, 597
- Electrical oscillator, 402
- Electromagnetic pulses, 668
- Electromagnetic spectrum, 403
- Electro-mechanical gyrocompass, 185
- Electronic chart data base (ECDB), 87
- Electronic Chart Display and Information System (ECDIS), 17, 87
- Electronic chart standards, 90
- Electronic chart system, 87
- Electronic chart, 56, 87
- Electronic compasses, 185
- Electronic navigation reports, 527
- Electronic navigation, 11
- Electronic navigational chart (ENC), 87, 96, 99
- Electronic range finder, 206
- Elevated pole, 256
- Ellipsoid height, 19
- Ellipsoid of revolution, 19, 239
- Ellipsoid, 19
- Emergency celestial navigation, 489
- Emergency navigation kit, 484
- Emergency navigation, 484
- Emission delay (ED), 444
- ENC display characteristics, 91
- ENC, 96, 99
- Energy of waves, 635
- Enhanced Group Call (EGC), 507
- Enhanced Loran (E-Loran), 453
- Envelope-to-cycle difference (ECD), 443
- EPIRB,
 - (Category I, II), 510
 - (Class A, B, S), 510
 - Registration, 511
 - Testing, 511
- ePODs, 80
- Equation of time, 251
- Equator, 7
- Equatorial Countercurrent, 627
- Equatorial horizontal parallax, 241
- Equatorial Jet, 627
- Equatorial tides, 607
- Equatorial undercurrent, 628
- Equinoctial year, 248
- Equinoctial, 253
- Error circle, 192
- Error, 26
- Errors in piloting, 216
- Estimated course, 194
- Estimated position, 4, 191, 193
- Estimated speed made good, 194
- Estimated Time of Arrival (ETA), 203
- Estimated track made good, 194
- Estimating wind, 705
- European Space Agency (ESA), 423
- Exclusive Economic Zone (EEZ), 569
- Expendable bathythermograph (XBT), 594
- Extragalactic nebula, 245
- Extra-tropical anticyclones, 653
- Extra-tropical cyclones, 653
- Extratropical low, 680
- Extratropical storms, 681
- Extremely high frequency, 410
- Eye of the storm, 684
- Eyewall, 680
- F
- Fading, 407
- Fahrenheit (F), 701
- Fall wind, 658
- False echoes, 433
- False shoals, 524
- Fast ice, 544
- Fata morgana, 664
- Fathom, 6
- Fathometer log, 201
- Fathometer, 211, 482
- Fault lines, 593
- Federal Radionavigation Plan, 412
- Fetch, 631, 705
- Fiber optic gyro, 187
- Finding GHA, 334
- Finding latitude, 492
- Finding longitude, 493
- Fireball, 244
- First adjustment, 292
- First point of Aries, 320
- First quarter, 242
- First-year ice, 543
- Fix expansion, 192

- Fix, 215
- Fixed bridges, 137
- Fixes, 205, 210
- Fixing position, 437
- Flamsteed's Number, 265
- Flattening, 19
- Flaw lead, 544
- Fleet Numerical Meteorology and Oceanography Center (FNMOC), 631
- FleetNET, 507
- Floating derelicts, 521
- Flood, 611
- Flooding, 680
- Florida Current, 624
- Flux gate compass, 185
- Foehn, 658
- Fog, 662, 708, 730
- Fogbow, 665
- Forecastle coil, 181
- Fourth adjustment, 294
- Fractional scale, 67
- Frame, 285
- Frazil ice, 542
- Frequency modulation (FM), 410
- Frequency, 463
- Front, 653
- Frontal zone, 653
- Frost degree day, 545
- Frost smoke, 663
- Full moon, 242
- G
- Galactic nebula, 245
- Galaxy, 245
- Galileo System, 423
- Gauss, 180
- Gegenschein, 244
- General charts, 67, 68
- Geocentric latitude, 21, 253
- Geocentric parallax, 301
- Geodesic, 6
- Geodesy, 19
- Geodetic latitude, 20, 252
- Geodetic leveling, 22
- Geodetic longitude, 21, 252
- Geodetic survey, 22
- Geodetic systems, 23
- Geographic latitude, 252
- Geographic longitude, 253
- Geographical position (GP), 262
- Geoid height, 19
- Geoid, 19
- Geomagnetic north pole, 579
- Geomagnetic south pole, 579
- Geometric dilution of precision (GDOP), 419
- Geometric error, 36
- Geostrophic equilibrium, 623
- Geostrophic wind, 645, 652
- Gibbous, 242
- Gimbaled INS, 385
- Gimballing error, 184
- Glacial ice, 538
- Glacier, 538
- Global Maritime Distress and Safety System (GMDSS), 504, 671
- Global navigation satellite system (GNSS), 586
- Global Navigation Satellite System (GLONASS), 424
- Global navigation satellite system (GNSS), 423
- Global Positioning System (GPS), 12, 24, 415
- Globular clusters, 245
- GLONASS signal coding, 766
- Gnomonic Projection, 57, 62
- GNSS Antennas, 587
- GPS signal coding, 417
- GPS time, 309
- Gradient wind, 645
- Graduation errors, 292
- Graphic scale, 67
- Graticule, 57
- Gravity waves, 631
- Gravity, 388
- Gray-white ice, 543
- Grease ice, 542
- Great circle charts, 63
- Great circle distance, 7
- Great circle sailing,
 - Computation, 230
- Great circle, 6, 8
- Great Lakes Environmental Research Laboratory (GLERL), 561
- Great Lakes ice, 557, 561
- Green flash, 667
- Greenwich Hour Angle (GHA), 253, 254, 321, 354

- Greenwich Mean Time (GMT), 251
- Greenwich mean time, 308
- Greenwich meridian, 321
- Greenwich Royal Observatory, 15
- Greenwich, 251
- Gregorian calendar, 247, 251
- Ground swell, 634
- Groundwave, 406
- Group calls, 507
- Group flashing, 138
- Group repetition interval (GRI), 444
- Group time delay, 420
- Group velocity, 633
- Growlers, 521, 538
- Guinea Current, 625
- Gulf Stream, 624
- Gyro error, 184, 202
- Gyrocompass, 6, 183
 - Polar, 582
- Gyroscope principles, 183
- Gyroscopes, 381
- Gyroscopic inertia, 183
- H
- Halos, 665
- Handle, 285
- Harbor approach, 204
- Harbor charts, 68
- Harbor communications, 202
- Harmonic tide plane, 608
- Harvest moon, 243
- Haze, 663
- Heading transformation, 577
- Heading, 8
- Hectopascals, 595
- Heeling coil, 182
- Heeling error, 173
- Heeling magnet, 174
- Height error, 701
- Height of antenna, 429
- Height of eye correction, 298
- Heliocentric halo, 665
- Heliocentric parallax, 301
- Hemispherical resonator gyro, 188
- Hertz, 403
- Hevelian halo, 665
- High clouds, 708
- High frequency, 409
- High tide, 604
- High water datums, 609
- High-latitude effects, 569
- Ho, 354
- Horizon glass, 285
- Horizon System of Coordinates, 256
- Horizon, 375
- Horizons, 255
- Horizontal axis, 183
- Horizontal danger angle, 225
- Horizontal dilution of precision (HDOP), 419
- Horizontal geodetic datum, 21
- Horizontal intensity, 155
- Horns, 142
- Horse latitudes, 647
- Hour angle, 253, 321
- Hour circles, 253
- Hs, 354
- Hull speed, 743
- Humboldt Current, 627
- Humidity, 702
- Hunter's moon, 243
- Hurricane Wind Scale, 682
- Hurricane, 675
- Hydraulic current, 611
- Hydrographic surveys, 48
- Hydrography, 48
- Hyperbolic Radio Aids, 12
- I
- IALA, 130, 143
 - Cardinal marks, 144
 - Isolated danger mark, 145
 - Lateral Marks, 143
 - Lateral marks, 144
 - Maritime Buoyage Systems, 142
 - New dangers, 146
 - Safe water marks, 145
 - Special marks, 146
- Ice accretion, 662
- Ice cake, 543
- Ice cap, 538
- Ice detection, 550
- Ice field, 543
- Ice floes, 543
- Ice front, 539
- Ice navigation, 537
- Ice operations, 554

- Ice rind, 543
- Ice shelf, 544
- Ice wall, 539
- Ice, 521, 707, 730
- Ice, density of, 547
- Ice, Distance and direction, 583
- Iceberg drift, 539
- Icebergs, 538
- Icebergs, the North Atlantic, 540
- IHO S-100, 97
- Index arm, 285
- Index correction, 297
- Index mirror, 285
- Indian Regional Navigational Satellite System (IRNSS), 424
- Indian spring low water (ISLW), 608
- Indian tide plane, 608
- Induced magnetism, 153, 179
- Inertial navigation sensors, 386
- Inertial Navigation System (INS), 457
- Inertial navigation system errors, 390
- Inertial navigation systems, 12, 384
- Inertial navigation, 4, 381
- Inferior conjunction, 240
- Inferior planets, 239
- Information Service (INS), 498
- Inmarsat (International Maritime Satellite Organization), 506
- Inmarsat-C, 506, 671
- Inshore current, 622
- Inshore Traffic Zone, 494
- Instrument correction, 297
- Instrument error, 701
- Integrated navigation system (INS), 453
- Intercardinal coils, 182
- Intercept method, 122
- Interference errors, 462
- Interference, 408
- Internal waves, 638
- International Association of Lighthouse Authorities, 17
- International Code of Signals, 122
- International Convention for the Prevention of Pollution from Ships, 17, 128, 569
- International Convention for the Safety of Life at Sea (SOLAS), 126, 504
- International date line, 316
- International Electrotechnical Commission (IEC), 18
- International Hydrographic Bureau (IHB), 79
- International Hydrographic Organization (IHO), 15, 79
- International Ice Patrol (IIP), 521, 562
- International Maritime Organization (IMO), 16
- International Regulations for Preventing Collision (COLREGS), 16
- Interpreting weather, 674
- Intracoastal Waterway, 76
 - Aids to navigation, 148
- Ionosphere, 405, 419
- Ionospheric delay errors, 419
- Ionospheric delay model, 421
- Irminger Current, 625
- Irradiation, 343
- Island shelf, 598
- Island slope, 598
- Isobars, 645, 651
- Isogonic, 155
- Isolated danger mark, 145
- Isophase, 138
- J
- Jamming, 408
- Japan Current, 626
- Jet stream, 643
- Julian day, 314
- Jupiter, 241
- K
- Kamchatka Current, 626, 627
- Katabatic wind, 658
- Kepler's laws, 237
- Knot, 6, 7
- Kuroshio Current, 626
- L
- Labrador Current, 625
- Lagging tides, 606
- Lake Erie, 560
- Lake Huron, 560
- Lake Michigan, 559
- Lake Ontario, 561
- Lake Superior, 557
- Lambert conformal projection, 56, 62
- Land breeze, 661
- Land Earth Stations (LES), 506
- Land ice, 538

- Large-scale chart, 67
- Last quarter, 242
- Lateral marks, 143
- Lateral system, 130, 142
- Latitude line, 351
- Latitude, 7, 252, 731
 - At meridian passage, 359
 - by Polaris, 492
 - of the vertex, 746
- Lead line, 49
- Leap year, 247, 251
- Leap-second adjustments, 325
- Leeuwin Current, 627
- Leeway, 193
- Length, of sea waves, 746
- Length, of the day, 493
- Libration in latitude, 241
- Libration in longitude, 241
- LIDAR, 51
- Lift bridges, 137
- Light Lists, 119
- Light rhythm characteristics, 138
- Light sectors, 140
- Lightning, 668
- Light-year, 236
- Limb, 285
- Line of apsides, 238
- Line of nodes, 251
- Line of position, 10, 207, 341, 349, 354
- Line of sounding, 471
- Local apparent time (LAT), 310
- Local Area Augmentation System (LAAS), 413, 423
- Local disturbances, 155
- Local Hour Angle (LHA), 253, 254, 321
- Local mean time (LMT), 320
- Local meridian, 256
- Local Notice To Mariners, 124
- Local time, 251
- Local wind names, 648
- Local winds, 658
- Log, 6
- Longitude at meridian passage, 361, 369
- Longitude ramps, 398
- Longitude, 7, 252
- Longitudinal coil, 181
- Long-Range Identification and Tracking (LRIT), 517
- Longshore current, 622, 641
- Loom, 141
- Loop Current, 624
- Loran accuracy, 446
- Loran C theory, 445
- Loran, 441
- Low clouds, 708, 714
- Low frequency, 409
- Low tide, 604
- Low Water Datum (LWD), 609
- Low water datum, 608
- Lower branch, 7
- Lower limb, 287
- Lower low water datum, 608
- Lower Low Water, Large Tide (LLWLT), 609
- Lowest Astronomical Tide (LAT), 609
- Lowest normal low water, 608
- Loxodrome, 7
- Loxodromic curve, 7
- Lunar day, 251
- Lunar distance, 9
- Lunar eclipse, 252
- Lunar month, 607
- Lunitidal interval, 607
- M
- Magnetic anomalies, 155
- Magnetic compass, polar, 579
- Magnetic dip, 155
- Magnetic disturbances, 527
- Magnetic heading, 189
- Magnetic poles, 153, 571
- Magnetic signature, 180
- Magnitude ratio, 236
- Magnitude, 236
- Main coil, 180
- Maintaining charts, 83
- Major hurricane, 675
- Major light, 135
- Major wind patterns, 645
- Malvinas Current, 625
- Maneuvering, to avoid the storm center, 695
- Manganese nodules, 599
- Mare's tails, 683
- Marine chronometer, 295
- Marine forecast products, 690
- Marine gravity, 53

- Marine information reports, 526
- Marine microbarograph, 700
- Marine sediments, 598
- Marine sextant, 284
- Mariner-contributed data, 54
- Maritime Mobile Service Identity (MMSI), 509
- Maritime Safety Information (MSI), 124, 504, 507
- Maritime safety systems, 504
- MARPOL, 17, 128, 569
- Mars, 240
- Master-Pilot Exchange (MPX), 477
- Mean high water (MHW), 610
- Mean high water lunitidal interval, 607
- Mean high water springs (MHWS), 610
- Mean higher high water (MHHW), 610
- Mean low water springs (MLWS), 608
- Mean lower low water (MLLW), 608
- Mean lower low water springs (MLLWS), 608
- Mean sidereal time, 320
- Mean solar time, 251, 316
- Mean square error, 38
- Mean sun, 310
- Medium frequency, 409
- Medium-altitude Earth Orbit Search and Rescue (MEOSAR) system, 424
- Mercator Projection, 57
- Mercator sailing, 229, 745
- Mercurial barometer, 699
- Mercury, 240
- Meridian altitude, 492
- Meridian angle, 254, 321
- Meridian transit, 255, 488
- Meridian, 6
- Meridional parts, 58
- Mesoscale, 628
- Meteor showers, 244
- Meteorite, 244
- Meteorological equator, 645
- Meteors, 244
- Microelectromechanical systems, 384
- Micrometer drum sextant, 285
- Microwaves, 403
- Middle clouds, 708
- Mid-latitude sailing, 228, 745
- Mid-latitude, 7
- Mindanao Current, 627
- Mines, 523
- Minimum time tracks (MTT), 728
- Minor lights, 135
- Minutes of arc, 58
- Mirage, 664
- Misalignments, 390
- Mist, 663
- Mistakes, 26, 46
- Mixed tide, 605
- Modified facsimile charts, 79
- Modified Lambert Conformal, 65
- Modulation, 410
- Moon cross, 666
- Moon pillar, 666
- Moon sights, 288, 343
- Moon, 236, 241
- Moonbow, 665
- Moonrise, 337
- Moonset, 337
- Mooring procedures, 203
- Most probable position (MPP), 485
- Most probable position, 43
- Motions of Bodies, 236
- Movement of other Celestial Bodies, 248
- MSPGEOTRANS, 24
- Multipath reflection errors, 422
- Multipath wave, 404
- Multiple echoes, 434
- Multiple star system, 245
- Multiyear ice, 543
- N
- Nadir, 253
- Nathaniel Bowditch, ii
- National Aeronautics and Space Administration (NASA), 553
- National Geospatial-Intelligence Agency (NGA), 13
- National Marine Electronic Association (NMEA), 18
- National Snow and Ice Data Center (NSIDC), 549
- National tidal datum epoch, 610
- Nationwide Automatic Identification System (NAIS), 498
- Natural magnet, 153
- Natural year, 248
- Nautical Almanac, 265, 331

- Nautical charts, 56, 466
Nautical mile, 6, 743
Nautical publications, 115
NAVAIDS, 197
NAVDORM, 774
Navigation accuracy, 30
Navigation Assistance Service (NAS), 498
Navigation processes, 475
Navigation regulations, 494
Navigation system accuracy, 43
Navigation System using Timing And Ranging (NAVSTAR), 415
Navigational Astronomy, 234
Navigational tables, 11
Navigational triangle, 9, 262
NAVTEX, 508, 671
Navy ECDIS, 99
Navy Navigation Satellite System (NAVSAT), 415
Neap tides, 606
Nebula, 245
Neptune, 241
Network Coordination Station (NCS), 506
New Guinea Coastal Current, 627
Newton's laws of motion, 237
Ney's Projection, 65
Night effect, 407
Night observations, 707
Night orders, 482
Nilas, 543
Nimbostratus (Ns), 716
No anchoring area, 495
Nodal period, 607
Nodes, 251
Noise, 408
Nonadjustable errors, 291
Nontidal current, 610
Non-uniform propagation rates, 446
North American Datum (NAD 83), 23
North American Ice Service (NAIS), 521, 563
North Atlantic Current, 625
North Cape Current, 625
North Equatorial Countercurrent, 624, 626
North Equatorial Current, 624, 625, 626, 627
North Pacific Current, 626
North wall effect, 730
Northeast Drift Current, 625
Northeast trades, 645
Northern lights, 669
Northwest European Loran System (NELS), 453
Northwest Passage (NWP), 568
Norway Current, 625
Notice to mariners, 123
Notices to Shipping (NOTSHIP), 563
Nova, 245
Numerical scale, 67
Nuns, 147
Nutation, 247, 249, 250
O
Oblate spheroid, 239
Oblique gnomonic projection, 62
Oblique Mercator Projection, 59
Oblique Orthomorphic Projection, 59
Oblique sphere, 246
Obliquity of the ecliptic, 248
Observed altitude (HO), 354
Observed altitude (Ho), 349
Observed altitude, 297
Observed latitude, 351
Observed longitude, 351
Occulting, 138
Ocean current phenomena, 627
Ocean current reports, 531
Ocean currents and climate, 628
Ocean currents, 622, 730
Ocean temperature, 594
Ocean waves, 631
Oceanic circulation, 623
Oceanographic chemistry, 593
Oceanography, 593
Officer of the Deck, 203
Offshore current, 622
Offshore Vessel Movement Reporting System (OVMRS), 500
Old ice, 543
One-dimensional errors, 38
Open cluster, 245
Opposition, 240
Optical gyroscopes, 186, 382
Optimum Track Ship Routing (OTSR), 631, 728
Origin of the oceans, 593
Orion, 269
Orthographic projection, 57, 64
Orthometric height, 19

- Oscillatory wave, 634
- Outliers, 462
- Out-of-tolerance (OOT), 444
- Overfalls, 634
- Oyashio Current, 626
- P
- Pancake ice, 543
- Parallax, 301, 492
- Parallel indexing, 438
- Parallel of declination, 254
- Parallel sailing, 228, 745
- Parallel sphere, 246
- Parallel, 7
- Parameter P, 165
- Parameter Q, 165
- Paranthelion, 665
- Parantiselene, 666
- Paraselene, 666
- Parhelic circle, 665
- Parhelion, 665
- Partial eclipse, 251
- Path of totality, 251
- Pegasus, 266
- Perigean spring tides, 607
- Perigean tides, 607
- Perigee, 238, 241
- Perihelion, 238
- Periodic current, 622
- Permanent magnetism, 153, 179
- Personal correction, 297
- Personal equation, 343
- Perspective projections, 57
- Peru Current, 626
- Phase characteristics of lights, 144
- Phase coding, 444
- Phase correction, 300
- Phases of Navigation,
 - Coastal Phase, 5
 - Harbor approach phase, 5
 - Inland Waterway phase, 5
 - Ocean Phase, 5
- Photosphere, 238
- Pilot, 203
- Piloting, 4, 196, 202
 - Brief, 202
 - High latitudes, 583
 - Procedures, 208
 - Routine, 210
 - Simulators, 217
 - Transition, 203
- Pilots, 6
- Pitch, 386, 668
- Plan position indicator (PPI), 427
- Plane projection, 57
- Plane sailing triangle, 227
- Plane sailing, 227, 745
- Planet diagram, 274
- Planet sights, 288, 344
- Planets, 239
- Plateaus, 468
- Plates, 593
- Platform indexing, 388
- Plotting, 191, 196
 - Running fixes, 214
 - Sheets, 66, 485
 - the DR, 191
- Plunging breaker, 639
- Pluto, 241
- Points of intended movement (PIM), 480
- Polar charts, 65
- Polar circles, 249
- Polar Class, 555
- Polar distance (p), 254
- Polar front, 647
- Polar frontal jet stream (PFJ), 643
- Polar grid, 574
- Polar motion, 247
- Polar navigation, 566
- Polar Projection, 65
- Polar winds, 647
- Polaris, 488
- Polarization error, 407
- Polarization, 404
- Polyconic projection, 56, 62
- Polynya, 544
- Port entry lights, 136
- Port Meteorological Officer (PMO), 701
- Ports and Waterways Safety System (PAWSS), 499
- Position dilution of precision (PDOP), 419
- Position offsets, 395
- Positioning, 467
- Power flux density, 408
- Power loss errors, 462

- Practical salinity unit (psu), 594
- Preamble, 507
- Precautionary area, 495
- Precession of the equinoxes, 247, 250
- Precession, 249
- Precipitation, 706
- Precise positioning service (PPS), 417
- Precise timing system, 452
- Precision, 27
- Precomputation, 343
- Predictability, 43
- Preferred channel, 147
- Preliminary route recommendation, 736
- Pressure gradient, 645
- Pressure tendency, 654
- Prevailing Westerlies, 647
- Primary Phase Factor (PF), 446
- Prime meridian, 5
- Prime vertical circle, 256
- Prime vertical, 256
- Priming tides, 606
- Print on Demand, 79
- Prismatic error, 291
- Private Aids to Navigation (PATON), 151
- Projections, 56, 572
- Proper motion, 245, 247, 248
- Pseudorandom noise (PRN), 416
- Psychrometer, 702
- Psychrometric tables, 702
- Pulse modulation (PM), 410
- Pulse repetition rate (PRR), 426
- Q
- Quadrantal error, 184, 414
- Quarterdeck coil, 181
- Quasi-Zenith Satellite System (QZSS), 425
- R
- Racons, 436
- Radar beacons, 436
- Radar bearings, 438
- Radar interpretation, 429
- Radar navigation reports, 527
- Radar navigation, 4, 426
- Radar piloting, 437
- Radar ranges, 205
- Radar reflectors, 146, 436
- Radar, 12
- Radial motion, 245
- Radiation fog, 662
- Radio direction finding, 414
- Radio navigation, 4
- Radio Navigational Aids, 121
- Radio propagation factors, 322
- Radio spectrum, 403
- Radio Technical Commission for Maritime Services (RTCM), 17
- Radio wave propagation, 409
- Radio waves, 402
- Radioactivity, 597
- Radiobeacons, 76
- Radiofax, 671
- Radius vector, 237
- Rage sea, 635
- Rainbow, 665
- Ramarks, 436
- Random errors, 28
- Random walk, 390
- Range lights, 135
- Raster chart display system (RCDS), 88
- Raster chart, 88
- Raster navigational chart (RNC), 97
- RCDS, 88
- Receivers, 412
- Recommended direction of traffic flow, 494
- Recommended route, 495
- Recommended track, 495
- Recording observations, 719
- Records, 201
- Rectangular projection, 60
- Reference plane, 75, 608
- Reference stations, Tide, 615
- Reflecting quality, 430
- Reflection, 404
- Refraction of radio waves, 405
- Refraction, 298, 429, 492, 634, 639
- Registered Information Provider, 507
- Regression of the nodes, 242, 252
- Regulated waterways, 503
- Relative accuracy, 447
- Relative bearing, 9
- Relative humidity, 702
- Relative motion, 235
- Repeatability, 43
- Repeatable accuracy, 447
- Representative fraction, 67

- Resolution in bearing, 429
- Resolution in range, 429
- Retrograde motion, 240
- Revolution, 236
- Revolver, 224
- Rhumb line, 7
- Ridges, 468
- Right semicircle, 680
- Right sphere, 246
- Right triangle, 490
- Ring laser gyrocompass, 186
- Rings, ocean, 627
- Rip Currents, 641
- Ripples, 631
- RMS Titanic, 562
- RNC, 88
- Roaring forties, 647
- Rocking the sextant, 287
- Roll, 386
- Rotation, 236
- Roundabout, 494
- Route planning and monitoring, 107
- Routing System, 494
- Rigid zones, 249
- Running fix, 206
- Russian Federation Northern Sea Route (NSR), 568
- S
- Safe Water Marks, 145
- Safe water, 147
- Safety of Life at Sea (SOLAS), 16, 671
- Safety report messages, 523
- Safety reports, 521
- SafetyNET, 507
- Saffir-Simpson, 682
- Sagnac principle, 382
- Sailing charts, 68
- Sailing Directions, 6
 - Enroute, 116
 - Planning Guide, 115
- Sailings, 227
- Salinity, 593
- Sand bars, 641
- SAR Manuals, 533
- Sargasso Sea, 625
- Saros, 252
- SART pulse, 515
- SART range, 515
- Satellite altimetry, 53
- Satellite Based Augmentation Systems (SBAS), 422
- Satellite Imagery Derived Bathymetry, 54
- Satellite navigation, 4, 415
- Satellite oceanography, 600
- Satellite positioning, 21
- Saturn, 241
- Schuler compensations, 388
- Schuler oscillation, 391
- Scintillation, 239
- Sea ice, 537, 542
 - Drifting, 548
 - Salinity, 547
 - Thickness, 545
- Sea smoke, 570
- Seamounts, 468
- Search and acquisition, 442
- Search and Rescue (SAR), 504
- Search and Rescue Radar Transponder (SART), 515
- Seasonal current, 622
- Secant Conic Projection, 62
- Secchi disk, 597
- Second adjustment, 292
- Secondary coding delay (SCD), 444
- Secondary Phase Factor (SF), 446
- Secondary stations, 442
- Second-trace echoes, 434
- Secular change, 154
- Seiche, 637
- Selective Availability (SA), 418
- Semidiameter, 300, 492
- Semidiurnal tide, 604
- Semidiurnal, 611
- Semi-major axis, 19
- Sensible horizon, 255
- Sensor errors, 390
- Sensors, 381
- Separation zone, 494
- Set and Drift, 193
- Set, 193, 201, 611
- Sextant altitude, 297, 354
- Sextant, 220
 - Altitude corrections, 297, 491
 - Care, 291

- Error, 290
- Reading, 289
- Shade error, 291
- Shade glasses, 285
- Shallow water, 706
- Shapes of marks, 143
- Shapiro Keyser Model, 656
- Ship Earth Stations (SES), 506
- Ship handling, 213
- Ship routing, 494
- Ship simulators, 217
- Ship tracking, 517
- Ship's heading, 189
- Shoaling, 634
- Shooting stars, 244
- Shore lead, 544
- Shuga, 542
- Side echo, 471
- Side error, 292
- Sidelobe beam-coupling bias, 463
- Side-lobe effects, 434
- Sidereal day, 247, 251, 308, 320
- Sidereal hour angle (SHA), 249, 253, 254
- Sidereal month, 241
- Sidereal noon, 308
- Sidereal time, 251, 308, 309, 310, 320
- Sidereal, 237
- Sight planning, 341, 346
- Sight planning, Twilight, 344
- Sight reduction tables, 122
- Sight reduction, 348, 354, 492
- Signal-to-noise ratio (SNR), 447
- Simple conic projection, 56, 60
- Sinking, 664
- Sirens, 142
- Skip distance, 406
- Sky coloring, 664
- Sky diagrams, 265
- Skywave, 406
- Slack water, 610
- Slide bar, 199
- Sling psychrometer, 702
- Small circle, 6
- Small craft charts, 68
- Small scale chart, 67
- Smog, 663
- Snow blink, 552
- Solar day, 250
- Solar eclipse, 251
- Solar parallax, 301
- Solar System, 236
- Solar tide, 605
- Solar wind, 239
- Solar year, 248
- SOLAS, 126, 504, 671
- Somali Current, 627
- Sound signals, 142
- Sound velocity, 468
- Sounding datum, 75, 608
- Sounding reports, 524
- Source diagram, 48, 70
- South Atlantic Current, 625
- South Equatorial Current, 624, 626, 627
- South Java Current, 627
- Southeast Drift Current, 625
- Southeast trades, 645
- Southern hemisphere routing, 737
- Southern Lights, 669
- Southwest Monsoon Current, 627
- Space motion, 237, 248
- Space segment, 506
- Special environmental problems, 734
- Special Notice to Mariners Paragraphs, 124
- Special Notice to Mariners, 123
- Special purpose buoys, 131, 148
- Special tidal effects, 606
- Specific heat, 596
- Speed error, 184
- Speed line, 351
- Speed made good (SMG), 8, 194
- Speed of advance (SOA), 8
- Speed over the ground (SOG), 8
- Speed, 7
- Speed, of a vessel, 743
- Spherical buoys, 144
- Spherical triangle, 262
- Spicules, 542
- Spilling breaker, 639
- Spin axis, 183
- Spindrift, 705
- Spitsbergen Current, 625
- Split fix, 222
- Spring tides, 606
- Spring, 248

- Squall line, 655
- Squalls, 654
- Squat, 213
- St. Elmo's Fire, 669
- Stadimeter ranges, 205
- Stand, 604
- Standard deviation, 38
- Standard lapse rate, 643
- Standard parallel, 60
- Standard Positioning Service (SPS), 417
- Standard time broadcasts, 323
- Standard time, 318
- Standard zero crossing, 443
- Standard, 26
- Standards of Training, Certification and Watch-keeping (STCW), 127, 478
- Standing orders, 482
- Standing waves, 637
- Star charts, 265
- Star clouds, 245
- Star finder, 265, 276
- Star globe, 265
- Star sights, 288
- Stars, 244, 265
- Station pressure, 701
- STCW, 127, 478
- Steering error, 192
- Stellar parallax, 301
- Stereographic projection, 57, 63
- Storm surge, 681
- Storm tides, 637
- Stratocumulus (Sc), 715
- Stratosphere, 419, 643
- Stratus (St), 715
- Stream, 623
- Subastral point, 262
- Sublunar point, 602
- Sublunar, 602
- Subordinate stations, Tide, 615
- Subpolar regions, 566
- Subsatellite point, 262
- Subsolar point, 262
- Substellar point, 262
- Sub-tropical jet stream (STJ), 643
- Summary Of Corrections, 124
- Summary of corrections, 302
- Summer solstice, 248
- Summer time, 318
- Sumner line, 10
- Sun drawing water, 668
- Sun pillar, 666
- Sun sights, 287, 343
- Sun, 238
- Sun-Earth-Moon system, 601
- Sunrise, 336
- Sunset, 336
- Sunspots, 238
- Super high frequency, 410
- Super typhoon, 675
- Superior conjunction, 240
- Superior planets, 239, 240
- Supernova, 245
- Super-refraction, 405
- Supersaturated, 702
- Surf, 634
- Surface Picture (SURPIC), 534
- Sweat, 702
- Swell, 631, 706
- Swing bridges, 137
- Swing circle, 212
- Swinger, 224
- Swinging the arc, 287
- Sylphon cell, 699
- Symbols, 146
- Synodic month, 241
- Synodic period, 240
- Synodic, 237
- Synodical month, 607
- Synoptic oceanography, 600
- Synoptic weather considerations, 731
- System Electronic Navigation Chart (SENC), 87
- Systematic errors, 27
- Système International (SI), 308
- T
- Tabular iceberg, 539
- Tabular sight reduction, 349
- Tactical Ocean Data (TOD), 778
- Taking a sight, 288
- Tangent arc, 665
- Tangent bearings, 438
- Tangent latitude error, 184
- Tangent screw, 285
- Tasman Front, 626
- Tehuantepecer, 661

- Telescope, 285
- Temperate zones, 249
- Temperature error, 701
- Temperature inversion, 662
- Temperature measurement, 702
- Temperature, 701
- Temporary geographic grid (TGG), 67
- Terminator, 242
- Terrain bias, 463
- Terrestrial Dynamical Time (TDT), 309
- Terrestrial magnetism, 154, 156
- Terrestrial refraction, 299
- Terrestrial time (TT), 309
- Terrestrial Time, 309
- The Sailings, 6
- Thermal conductivity, 597
- Thermal expansion, 597
- Thermocline, 594
- Thermohaline, 622
- Thermometer, 702
- Third adjustment, 293
- Three-point problem, 220, 222
- Three-point problem, errors, 223
- Thunder, 668
- Tidal current charts, 619
- Tidal current periods and cycles, 612
- Tidal current tables, 615, 617
- Tidal currents, 193, 610, 615, 706
- Tidal cycle, 607
- Tidal day, 607
- Tidal heights, 614
- Tidal waves, 636
- Tide calculations, 744
- Tide predictions, 616
- Tide range, 604
- Tide, 201, 601
- Tide-generated waves, 638
- Time balls, 9
- Time delay lattice, 442
- Time diagram, 255
- Time difference, 442, 616
- Time dilution of precision (TDOP), 419
- Time of Arrival (TOA), 452
- Time of Coincidence (TOC), 452
- Time of transit, 493
- Time sight, 10
- Time signals, 323
- Time, 250
- Topmarks, 144
- Tornadoes, 662, 682
- Torrid zone, 249
- Total electron content (TEC), 420
- Total intensity, 155
- Track (TR), 8
- Track made good (TMG), 8
- Track Plan, 202
- Tracking and lock phase, 442
- Tractive forces, 602
- Trade winds, 622, 645
- Traffic flow, 495
- Traffic lane, 494
- Traffic Organization Service (TOS), 498
- Traffic Separation Scheme (TSS), 494, 495
- Transfer, 198
- Transit of the sun, 240
- Transmissometer, 597, 719
- Transmitted acoustic signal, 463
- Transmitter, 410
- Transmitting stations, 442
- Transparency, 597
- Transponder, 412
- Transverse Coordinate System, 575
- Transverse Mercator projection, 58
- Transverse Orthomorphic Projection, 58
- Transverse projection, 56, 57
- Traverse sailing, 228, 745
- Traverse, 22
- Triangulation, 22
 - First-order, 22
 - Second-order, 22
 - Third-order, 22
- Trilateration, 22
- Tropic higher high water (TcHHW), 610
- Tropic lower low water (TcLLW), 608
- Tropic of Cancer, 249
- Tropic of Capricorn, 249
- Tropic tides, 607
- Tropical Cyclone Forecast Products, 687
- Tropical Cyclone Forecasts, 684
- Tropical cyclone, 675, 678
- Tropical depression, 675
- Tropical disturbance, 676
- Tropical month, 607
- Tropical storm, 675

- Tropical year, 248, 251
- Tropics, 594
- Tropopause, 643
- Troposphere, 419, 643
- True bearing, 9
- True heading, 189
- True wind, 703
- Tsunamis, 636
- Tsushima Current, 626
- Turbidity currents, 599
- Turn Bearings, 198
- Turning point, 198
- Twilight, 336
- Two-dimensional error, 39
- Two-way route, 495
- Typhoon, 675
- U
- U.S. Coast and Geodetic Survey, 12
- U.S. Maritime Advisory System, 519
- U.S. National Ice Center, 521, 549, 561
- Ultra high frequency, 410
- Umbral shadow, 252
- Uncharted objects, 224
- Uncorrecting (compass), 159
- Undercurrents, 628
- United States Aids to Navigation system, 147
- United States Coast Guard, 14
- United States National Search and Rescue Supplement (NSS), 533
- United States Naval Observatory, 14
- United States Navy, 14
- Universal law of gravitation, 237
- Universal Polar Stereographic (UPS), 64, 67
- Universal Time (UT), 251, 309
- Universal Transverse Mercator (UTM), 59, 67
- Upper air observations, 719
- Upper branch, 6, 253
- Upper limb, 287
- Uranus, 241
- Ursa Major, 272
- Ursa Minor, 272
- USATONS, 130, 147
- User equivalent range error (UERE), 419
- USNIC, 521, 549, 561
- USS Ramapo, 636
- V
- Variable stars, 245
- Variation, 6, 155, 189
 - Annual change, 189
- Variations in color, 522
- Vector chart, 88
- Vector transformation, 577
- Velocity of sound errors, 461
- Velocity transformation, 577
- Venus, 240
- Vernal equinox, 248, 249, 253, 254, 309
- Vernier sextant, 285
- Vernier, 285
- Vertical axis, 183
- Vertical danger angle, 225
- Vertical dilution of precision (VDOP), 419
- Vertical intensity, 155
- Vertical surveying, 22
- Very high frequency, 409
- Vessel motion induced errors, 461
- Vessel Movement Reporting System (VMRS), 500
- Vessel Traffic Management and Information Services (VTMIS), 502
- Vessel Traffic Service, 14, 494, 498
- Viscosity, 595
- Visibility measurement, 719
- Visibility, 523, 719
- Visible horizon, 255
- Volcanic activity, 522
- Voluntary Observation Ship (VOS) program, 700
- Voyage Data Recorder, 95
- Voyage monitoring, 481
- Voyage planning, 203, 479
- Voyage preparation, 480
- Voyage track, 480
- VTS, 14, 494, 498
 - Berwick Bay, 502
 - Houston-Galveston, 501
 - Los Angeles/Long Beach, 502
 - Louisville, 502
 - Lower Mississippi River, 502
 - New York, 500
 - Port Arthur, 502
 - Prince William Sound, 501
 - Puget Sound, 500
 - Saint Mary's River, 501
 - San Francisco, 500
 - Tampa, 502

W

Waning, 242
 Warm front, 653
 Watch conditions, 476
 Watch error, 319
 Watch relief procedures, 482
 Watch time, 312, 319
 Waterspout, 662
 Wave characteristics, 631
 Wave front, 403
 Wave height, 631, 730, 746
 Wave interference, 404
 Wave period, 631
 Wave speed, 746
 Wavelength, 403, 631
 Waves, 705
 Waxing, 242
 Weather advisory, 736
 Weather forecast dissemination, 671
 Weather observations, 699
 Weather, 201, 643
 West Greenland Current, 625
 West Wind Drift, 623, 625
 Western Rivers System, 148, 151
 WGS 60-84, 23
 Whistles, 142
 White caps, 705
 White light, 664
 White out, 571
 Wide Area Augmentation System (WAAS), 413, 422
 Wind driven currents, 622

Wind duration, 705
 Wind measurement, 703
 Wind shifts, 707
 Wind speed, 705
 Wind, 705, 729
 Winter solstice, 248
 Wire drag, 50
 World Geodetic Reference System (GEOREF), 67
 World Geodetic System, 23
 World Magnetic Model (WMM), 155, 579
 World Meteorological Organization, 671
 World Port Index, 121
 X
 X-shaped topmarks, 144
 Y
 Yaw, 386
 Year, 250
 Young ice, 543
 Z
 Zenith distance, 257
 Zenith, 253
 Zenithal projection, 56
 Zenithal, 62
 Zodiac, 250
 Zodiacal light, 244
 Zone description (ZD), 317
 Zone meridian, 316
 Zone of Confidence diagram (ZOC), 52
 Zone time (ZT), 251, 316
 Zones of Confidence (ZOE), 70