

INDEX

A

- Abscissa, 320
- Absolute accuracy 178
- Absorption and scattering, 156
- Accuracy, 341
- Accuracy, digital chart 212
- Acoustic Doppler current profilers, 439
- Acute angle, 317
- Acute triangle, 318
- Additional Secondary Phase Factor (ASF) 178
- Adjacent angle, 317
- Adjusting barometer readings, 521
- Adjustment of departure time, 555
- Adjustment of SOA, 555
- Advance, 107
- advance 107
- Advanced piloting techniques, 122
- Advection fog, 496
- Aeronautical lights, 65
- Agulhas Current, 436, 438
- Aids to navigation system, 63
- Air Almanac, 287, 288
- Air masses, 489
- Alaska Current, 437
- Aleutian Current, 437
- Allowances for Non-Uniform Propagation Rates 178
- Almanacs, 58, 287, 378
- Altering a great circle track to avoid obstructions, 350
- Alternating current, 151
- Alternating light, 66
- Altitude correction, 297
- Altitude intercept (a), 296
- Altitude measurement, 378
- Alto, 528
- Alto cumulus (Ac), 531
- Altostratus (As), 530
- Amplitude modulation (AM), 159
- Amplitude of radio waves, 151
- Amplitude of the sun by calculation, 274
- Amplitudes, 271, 273, 331
- AMVER participation, 400
- AMVER plot information, 401
- AMVER reporting, 401
- Anabolic wind, 493
- Anchorage, 121
- Anchoring procedures, 119
- Anemometer, 523
- Aneroid barometer, 519
- aneroid barometer 519
- Angle, 317
- Angle of magnetic dip, 82
- Angular length, 320
- Angular measure, 320
- Annular eclipse, 233
- Anomalistic month, 134
- Antarctic Circle, 230
- Antarctic Circumpolar Current, 434
- Antenna characteristics, 157
- Anthelion, 498
- Anticrepuscular rays, 499
- Anticyclone, 492
- Antilles Current, 435
- Antipodal, 345
- Antipode, 130
- Antiselenene, 498
- Aphelion, 219
- Apogean tides, 134
- Apogee, 219
- Apparent horizon, 238
- Apparent motion, 218, 226
- Apparent solar day, 275
- Apparent solar time, 275
- Apparent wind, 523
- apparent wind 523
- Arc, 262, 277
- Arctic Circle, 230
- Arctic sea smoke, 496
- Area calls, 396
- Areas to be avoided, 383
- Aries, 230
- Artificial horizon, 268
- Artificial horizon sextants, 268
- Assumed latitude, 300
- Assumed longitude, 300
- Assumed position (AP), 296
- Astronomic latitude, 16, 234
- Astronomic longitude, 17, 234
- Astronomical Almanac, 287
- Astronomical distances, 219
- Astronomical triangle, 246
- Astronomical unit (AU), 219
- Athwartship (A) coil, 89
- Atlantic ocean currents, 434
- Atmosphere, 481

Atmospheric electricity, 499
 Atmospheric noise, 157
 Atmospheric pressure, 519
 Attenuation, 156, 188
 Aureole, 498
 Aurora, 500
 Aurora Australis, 500
 Aurora Borealis, 500
 Auroral zones, 500
 Automated Mutual-Assistance Vessel Rescue System
 (AMVER), 399
 Autumnal equinox, 229
 Azimuth angle (Z), 241, 331
 Azimuth of polaris, 272
 Azimuth of the sun, 271
 Azimuthal equidistant projection, 23, 31
 Azimuthal orthomorphic projection, 30
 Azimuthal projection, 23, 29
 Azimuths, 241, 271

B

Back sight, 264
 Backstays of the sun, 499
 Backwash, 449
 Baily's Beads, 233
 Bank cushion, 121
 Bank suction, 121
 Barograph, 520
 barograph 520
 barometer 519
 Barometric pressure, 519
 barometric pressure 519
 Barometric pressure, analysis of, 514
 Baseline, 17
 baseline 176
 baseline extension 176
 baseline length (BLL) 174
 baseline travel time (BTT) 174
 Basins, 430
 Bathymetric charts, 40
 Beach sediments, 451
 Beacons, 63, 78
 Beam compasses, 105
 Beam width, 410
 Bearing (B, Brg.), 5
 Bearing record book, 110
 Beaufort Scale of wind force, 537
 Bells, 71
 Benguela Current, 436, 438
 Bergy bit, 454
 Biquadrantal spherical triangle, 327
 Bisects, 318
 Blind lead, 457
 blink coding 175
 Blizzard, 494

Boat sheet, 410
 Bobbing a light, 56
 Body at rising, 377
 Body at setting, 377
 Body in zenith, 382
 Body on prime vertical, 377
 Bolide, 224
 Bora, 494
 Bore, 134, 447
 Bottom contour charts, 40
 Bottom description, 40
 Bottom relief, 430
 Brazil Current, 436
 Breaker, 444
 Breakers, classes of, 448
 Bridge lights, 65
 British Thermal Unit (BTU), 522
 Bummocks, 473
 Buoy lights, 71
 Buoy moorings, 71
 Buoyage systems, 73
 Buoyant beacon, 63
 Buoys, 70
 Buys Ballot's Law, 513

C

Calculations of meteorology, 332
 Calculations of piloting, 329
 Calculations of the sailings, 331
 Calculator keys, 329
 Calculators in navigation, 329
 Calendar, 232
 California Current, 436
 Calve, 454
 Can, 74
 Canary Current, 436
 Cape Horn Current, 436
 Cardinal marks, 73
 Cartesian coordinates, 320
 Cat's paw, 494
 Catalogs, 59
 Cathode ray tube (CRT), 197
 Causes of tides, 129
 Celestial equator, 234
 Celestial horizon, 238
 Celestial meridian, 234
 Celestial navigation routine, 314
 Celestial sphere, 218, 234
 Celestial triangle, 246
 Celsius (C) 521
 Centering error, 267
 Centesimal degrees, 321
 Centesimal system, 321
 Central angle, 319
 Centroid, 318

- Characteristics of lights, 66
- Chart accuracy, 35, 412
- Chart catalogs, 49
- Chart classification by scale, 35
- Chart database, 200
- Chart dates, 37
- Chart features, 43
- Chart graticule, 24
- Chart lettering, 38
- Chart lighting, 50
- Chart No. 1, 38, 58
- Chart numbering system, 45
- Chart numerical scale, 34
- Chart preparation, 106, 368
- Chart projection, 23
- Chart reading, 37
- Chart scales, 34
- Chart sounding datum, 41
- Chart soundings, 40
- Chart symbols, 38
- Chart symbols and abbreviations, 77
- Chinook, 493
- Chipping rate, 165
- Chlorinity, 426
- Chord, 319
- Chronometer, 269
- Chronometer error (CE), 6, 278
- Chronometer rate, 269, 278
- Chronometer time, 278
- Chronometers, 269
- Circle of equal altitude, 295
- Circles, 319
- Circulation of the atmosphere, 481
- Circumference, 319
- Circumhorizontal arc, 498
- Circumscribed circle, 318
- Circumscribed halo, 498
- Circumzenithal arc, 498
- Cirrocumulus (Cc), 530
- Cirrostratus (Cs), 529
- Cirrus 528
- Cirrus (Ci), 528
- Clamp screw vernier sextant, 263
- Climate, 481
- Cloud Formation 527
- Cloud formation, 527
- Cloud height measurement, 535
- Clouds 527
- Clouds, 527
- Clutter, 189
- Coaltitude, 6
- Coarse acquisition code, 163
- Coast Earth Stations (CES), 395
- Coast Pilots, 52
- Coastal charts, 35
- Coastal current, 433
- Coastal phase, 2
- Coastal refraction, 154
- Code division multiple access (CDMA), 163
- Codeclination, 6
- coding delay (CD) 174
- Cold front, 489
- Cold wall, 435
- Collecting survey data, 410
- Collimation error, 267
- Collision with buoys, 70
- Colors of lights, 74
- Colors of marks, 74
- Comets, 224
- common establishment 136
- Common tangent, 319
- Communications, 555
- Comparing watch, 269
- Compass checks, 369
- Compass compensation, 81, 89
- Compass error, 97
- Compass operation, 86
- Compasses, 2
- Compensating coils, 91
- Complementary angle, 317
- Composite sailing, 345, 346, 350
- Compressibility, 427
- Computed altitude (hc), 296, 331
- Computer Sight Reduction 295
- Concentric, 319
- Conductivity-temperature-depth (CTD), 426
- Cone topmark, 74
- Congruent, 318
- Conic projection, 27, 28
- Conical buoy, 74
- Conn, 112
- Conning Officer, 112
- Constellations, 224
- Continental shelf, 430
- Continental slope, 430
- Coordinate systems, 237
- Coordinates, 16, 320
- Corona, 220, 233, 498
- Corposant, 500
- Correcting and Uncorrecting the Compass 97
- Correcting compass, 86
- Correctors, 84
- COSPAS/SARSAT participants, 405
- Counter glow, 224
- Course deviation, 214
- Course line, 99
- Cracks in ice, 457
- Crepuscular rays, 499
- Critical point approach, 214
- Cross check lines, 409

Cross-track error, 214
 Cumulonimbus (Cb), 535
 Cumulus (Cu), 528, 533
 Current, 102
 Current diagrams, 148
 Current ellipse, 138
 current ellipse 139
 Current meters, 142
 Current rose, 139
 Cycle, 151
 Cyclone, 492
 Cygnus, 257
 Cylindrical projection, 23, 24

D

Damp haze, 496
 Danger bearings, 108
 Danger ranges, 108
 Danger soundings, 108, 368
 Dangerous semicircle, 514
 dangerous semicircle 514
 Date line, 278
 Datum, 19, 214
 Datum connections, 19
 Datum shifts, 21
 Davidson Current, 436
 Day, 232
 Daybeacons, 63
 Dayboards, 63
 Daymark, 63
 Dead reckoning (DR), 375
 Dead reckoning plot, 99
 Dead water, 447
 Deck ice, 496
 Deck log, 110, 376
 Declination, 235
 Declination of a planet, 290
 Declination of a star, 290
 Declination of the moon, 289
 Declination of the sun, 289
 Deep, 430
 Deep Scattering Layer (DSL), 416
 Deep-Water route, 383
 Defense Mapping Agency, 10
 Defense Mapping Agency Hydrographic Center 10
 Defense Mapping Agency Hydrographic/Topographic
 Center (DMAHTC) 10
 Degaussing, 88, 95, 96
 Degaussing coils, 89
 Degaussing compensation, 88, 89, 91, 95
 Degaussing effects, 91
 Degaussing folder, 89
 Degaussing stations, 89
 Degaussing system, 91
 Degrees, 320
 Demarcation line, 109
 Density, 427
 Departure (p, Dep.), 4, 100, 346
 Deperming, 91
 Depressed pole, 239
 Depth contours, 40
 Depth conversion scale, 40
 Depths and datums, 40
 Developable surface, 23
 Deviation, 3, 84, 97
 Diameter, 319
 Difference of latitude (l, Dlat.), 4, 346
 Difference of longitude (DLo), 4, 346
 Differential GPS (DGPS), 170
 Diffraction, 155, 188
 Digital Nautical Chart, 206
 Digital Nautical Chart (DNC), 209
 Digital Selective Calling (DSC), 398
 Dihedral angle, 317
 Dip, 297
 Dip correction, 330
 Dip of the sea short of the horizon, 330
 Direct, 151
 Direct current, 151
 Direct motion, 222
 Direction on the earth, 5
 Directional light, 64
 Directional sector light, 64
 Display and Control Subsystem (DCS), 209
 Dissemination systems, 281
 Distance (D, Dist.), 346
 Distance by vertical angle, 330
 Distance on the earth, 4
 Distance to the radar horizon, 330
 Distance to the visible horizon, 330
 Distances Between Ports (Pub. 151), 58
 Diurnal circle, 226, 235
 Diurnal tide, 133
 Diversion, 555
 DNC corrections, 211
 DNC portfolio, 209
 Doldrums, 484
 Double high water, 134
 Double low water, 134
 Drag circle, 121
 Drift, 102, 110, 139
 Drift currents, 433
 Drift of sea ice, 460
 Dry haze, 496
 dual rating 174
 Duel frequency correction techniques, 170
 Duration of slack water, 147
 Dust whirl, 494

E

- E layer, 153
- Earth, 3, 221
- East Auckland Current, 437
- East Australian Current, 437
- East Cape Current, 437
- East Greenland Current, 438
- East Wind Drift, 434
- Easterly wave, 508
- Ebb, 139
- ECDIS Correction System, 210
- ECDIS Outputs, 204
- ECDIS Performance Standards, 200
- ECDIS warnings and alarms, 204
- ECDIS-N, 208
- Echo sounders, 410
- Eclipse of lights, 66
- Eclipses, 233
- Ecliptic, 221, 228
- Eddy viscosity, 428
- Effect of ice on waves, 444
- Effects of currents on waves, 444
- Effects of wind on the sea, 525
- Ekman layer, 433
- Ekman pumping, 433
- Ekman spiral, 434
- Ekman transport, 433
- Electric psychrometer, 523
- Electrical conductivity, 429
- Electromagnetic spectrum, 152
- electronic 199
- Electronic chart, 23
- electronic chart 199
- electronic chart data base 199
- electronic chart display and information system, 199
- Electronic Chart Display and Information System (ECDIS), 13, 200
- Electronic chart display characteristics, 202
- Electronic Chart Standards, 202
- electronic chart system, 199
- Electronic Chart Systems (ECS), 200
- Electronic Charts, 199
- Electronic Charts, correcting 210
- Electronic charts, using, 212
- electronic navigation chart, 199
- electronic navigation chart database, 199
- Electronic navigation reports, 419
- Electronic Navigational Chart, 205
- Electronic Notice To Mariners, 60
- Electronic systems, 8
- Elevated pole, 239
- Ellipsoid, 16
- Ellipsoid of revolution, 16, 221
- Emergency navigation, 373
- Emergency navigation kit, 373
- emission delay (ED) 174
- Endless tangent screw vernier sextant, 263
- Energy of waves, 445
- Enhanced Group Call (EGC), 396
- envelope-to-cycle difference (ECD) 174
- Epicenter, 446
- EPIRB's (Category I, II), 403
- EPIRB's (Class A, B, S), 403
- EPIRB's (Inmarsat-E), 403
- EPIRB's, alarm, warning, and alerting signals, 405
- EPIRB's, testing, 404
- Equation of time, 232, 276
- Equatorial Countercurrent, 437
- Equatorial jet, 437
- Equatorial tides, 134
- Equatorial undercurrent, 438
- Equiangular, 318
- Equilateral triangle, 318
- Equinoctial, 234
- Equipment inventory, 368
- Error, 341
- Error circle, 101
- Errors in piloting, 125
- Established direction of traffic flow, 383
- Estimated position, 100, 102
- Estimated speed made good, 103
- estimated time of arrival 111
- Estimated track made good, 103
- Estimating the wind at sea, 525
- European datum, 19
- Evasion, 555
- Evolutions prior to piloting, 111
- Expendable bathythermograph (XBT), 426
- Explement, 317
- Exterior angle, 318
- Extremely high frequency, 158

F

- F layer, 153
- Fading, 155
- Fahrenheit (F), 521
- Fall wind, 494
- Fallibility of buoys, 72
- False echoes, 192
- False shoals, 416
- Fast ice, 457
- Fata morgana, 497
- Fathom, 3
- Fathometer, 119
- Fathometer log, 110
- Fathometer operating guidelines, 369
- Fault lines, 425
- Federal Radionavigation Plan, 160
- Fetch, 441, 526
- fetch 525

- Filling, 492
 Finding the vertex, 350
 Fireball, 224
 Fischer plotting, 196
 Fix by range and distance, 115
 Fix by two bearing lines, 111
 Fix by two ranges, 115
 Fix expansion, 101
 Fixed lights, 63
 Fixing position, 196
 Flashing, 91
 Flashing light, 66
 Flaw lead, 457
 FleetNET, 396
 Flinders bar, 85
 Floating derelicts, 414
 Flood, 139
 Florida Current, 435
 Fog, 496, 527, 548
 Fogbow, 498
 Forecasting weather, 500
 Forecastle (F) coil, 89
 Foreign chart reproduction, 45
 Fractures, 457
 Frazil ice, 456
 Frequency, 151
 Frequency modulation (FM), 159
 Fresnel lenses, 63
 Friendly ice, 473
 Frigid zones, 230
 Front range light, 64
 Frontal zone, 489
 Fronts, 489
 Frost smoke, 496
 Fundamental identities, 324
- G**
- Galactic nebula, 225
 Galileo System 172
 Gauss, 89
 Gaussian error, 88
 Gegenschein, 224
 General charts, 35
 General circulation, 485
 General direction of buoyage, 74
 General precession, 230
 Generator, 151
 Geocentric latitude, 17, 234
 Geodesic, 3
 Geodesy, 15
 Geodetic latitude, 17, 234
 Geodetic longitude, 17, 234
 Geodetic survey, 17
 Geodetic systems, 19
 Geographic latitude, 234
 Geographic longitude, 234
 Geographic range, 55
 Geoid, 15
 Geoidal heights, 16
 Geoidal horizon, 238
 Geoidal separations, 16
 Geoidal undulations, 16
 Geometric dilution of precision (GDOP), 168
 Geometrical horizon, 239
 Geometry, 317
 Geostrophic equilibrium, 434
 Geostrophic wind, 482
 GHA increment, 299
 Glacier, 453
 Glasses shade, 262
 Global Maritime Distress and Safety System, 393
 Global Positioning System (GPS), 9, 163
 Globular clusters, 225
 Gnomonic projection, 24, 29
 Gongs, 71
 GPS, 161
 GPS signal coding, 165
 Gradient wind, 482
 Graduation errors, 267
 Gravity waves, 441
 Gray-white ice, 456
 Grease ice, 456
 Great circle, 3, 319, 345
 Great circle charts, 30, 346
 Great circle sailing, 346
 Great circle sailing by chart, 346
 Great circle sailing by computation, 349
 Great circle sailing by sight reduction tables, 346
 Great circle track, 5, 345
 Great Lakes ice, 477
 Green flash, 498
 Greenwich, 233
 Greenwich Hour Angle (GHA), 235, 237
 Grids, 34
 Ground swell, 444
 Groundwave, 154
 Group calls, 396
 group repetition interval (GRI) 175
 Group time delay, 169
 Group velocity, 443
 Growler, 454
 Guinea Current, 436
 Gulf Stream, 435
 Gust, 494
 Gyrocompass, 3
- H**
- Halos, 498
 Hand over word (HOW), 166
 Handle, 262

- Harbor charts, 35
 - Harbor/harbor approach phase, 2
 - Harmonic constants, 143
 - Harvest moon, 224
 - Haze, 496
 - Heading relationships, 97
 - Heat lightning, 499
 - hecto pascal (hPa) 519
 - Heeling coil, 91
 - Heeling magnet, 85
 - Height error 521
 - Heights, 41
 - Hertz, 151
 - Hevelian halo, 498
 - High Clouds 528
 - High clouds 528
 - High frequency, 157
 - High tide, 131
 - High water datums, 138
 - Horizon glass, 262
 - Horizontal datum, 19
 - Horizontal geodetic datum, 17
 - Horns, 71
 - Horse latitudes, 485
 - Hostile ice, 473
 - Hour circle, 235
 - Hull speed in knots, 329
 - Humboldt Current, 437
 - Humidity, 522
 - Hummock, 457
 - Hummocked ice, 457
 - Hunter's moon, 224
 - Hurricane, 503, 507
 - Hydraulic current, 139
 - Hydrograms, 59
 - Hydrographic surveys, 409
 - Hydrography, 409
 - Hygrometer, 523
 - hygrometer 523
 - Hypotenuse, 318
- I**
- IALA Cardinal Marks, 74
 - IALA Isolated Danger Mark, 75
 - IALA Lateral Marks, 73
 - IALA Maritime Buoyage System, 73
 - IALA New Dangers, 76
 - IALA Region A, 73
 - IALA Region B, 73
 - IALA Safe Water Marks, 76
 - IALA Special Marks, 76
 - Ice, 414, 453, 527, 549
 - Ice accretion, 496
 - Ice blink, 468
 - Ice cake, 456
 - Ice cap, 453
 - Ice, density of, 460
 - Ice detection, 467
 - Ice field, 456
 - Ice floes, 456
 - Ice forecasts and observations, 477
 - Ice front, 454
 - Ice islands, 457
 - Ice keels, 473
 - Ice operations, 470
 - Ice products and services, 478
 - Ice rind, 456
 - Ice shelf, 457
 - Ice wall, 454
 - Iceberg drift, 461
 - Icebergs, 453, 457
 - Icebergs in the North Atlantic, 463
 - Identification of stars, 247
 - IMO performance standards, 201
 - Index arm, 262
 - Index correction, 297
 - Index error, 268
 - Index mirror, 262
 - Indian datum, 19
 - Indian Ocean Currents, 437
 - Indian spring low water (ISLW), 137
 - Induced magnetism, 88
 - Inertial navigation system, 9
 - Inferior conjunction, 221
 - Inferior mirage, 497
 - Inferior planets, 221
 - Infrared, 497
 - Inland Waterway phase, 2
 - Inmarsat (International Maritime Satellite Organization), 395
 - INMARSAT B, 395
 - INMARSAT C, 395
 - Inscribed angle, 319
 - Inscribed circle, 318
 - Inshore current, 433
 - Inshore traffic zone, 383
 - Instrument error 521
 - Integrated bridge, 199
 - Integrated Bridge System, 207
 - Intercardinal coils, 92
 - Interference, 156
 - Interior angle, 318
 - Interlaced display, 197
 - Internal waves, 447
 - International Association of Lighthouse Authorities, 13, 70, 73
 - International charts, 45
 - International Hydrographic Bureau (IHB), 45
 - International Hydrographic Organization (IHO), 11, 45
 - International Ice Patrol, 466

International Maritime Organization (IMO), 12
 International Regulations for Preventing Collision, 12
 Interpreting weather, 501
 Intracoastal Waterway aids to navigation, 79
 Inverse trigonometric functions, 325
 Ion, 153
 Ionosphere, 153
 Ionospheric delay errors, 169
 Irminger Current, 435
 Island shelf, 430
 Island slope, 430
 Isobars, 482, 519
 Isophase light, 66
 Isosceles triangle, 318

J

Jamming, 156
 Japan Current, 436
 Jupiter, 223

K

Kamchatka Current, 437, 438
 Katabatic wind, 493
 Knot (kn.), 5
 Kuroshio Current, 436

L

Labrador Current, 435
 Lagging tides, 134
 Lambert conformal projection, 23, 29
 Lamp changer, 66
 Land breeze, 493
 Land Earth Stations (LES), 395
 Land effect, 153
 Land ice, 453
 Land sky, 468
 Large navigational buoys, 71
 Large-scale chart, 35
 Lateral and cardinal systems, 73
 Lateral marks, 73
 Latitude (L, lat.), 4, 234, 346, 549
 Latitude at meridian passage, 309
 Latitude by Polaris, 312
 Latitude determination, 6, 381
 Latitude of the vertex, 332
 Latitudes of points on the great-circle track, 332
 Leads, 457
 Leap seconds, 284
 Leap-second adjustments, 284
 Leeuwin Current, 438
 Leeway, 102
 Length of sea waves, 333
 Length of the day, 382

Lens, 66
 Less dangerous semicircle, 515
 Leveling, 18
 Life of a tropical cyclone, 508
 Light characteristics, 66
 Light Lists, 54
 Light pipes, 64
 Light sectors, 69
 Light-year, 219
 Lighted buoy, 71
 Lighthouses, 63
 Lightning, 499
 Limb, 262
 Line, 317
 Line of apsides, 219
 Line of position, 7, 296
 Line spacing, 409
 List of Lights, 57
 Local apparent noon, 276
 Local Hour Angle (LHA), 235, 237, 300
 Local Mean Time (LMT), 280
 Local Notice To Mariners, 60
 Local time, 232
 Local wind names, 486
 Local winds, 493
 Location vessel, 401
 Log, 3
 Logarithmic function, 322
 Longitude (l, long.), 4, 234, 346
 Longitude at meridian passage, 311
 Longitude determination, 6
 Longitudinal (L) coil, 89
 Longshore current, 433, 450
 Loom, 69
 Looming, 497
 Loop Current, 435
 Loran antenna 174
 Loran C, 161, 173
 Loran C control station 174
 Loran C Signal 174
 Loran C Theory 176
 Loran C transmitting stations 173
 Loran chains 173
 Loran charts 174
 Loran receiver 174
 Low clouds 528
 Low clouds, 533
 Low frequency, 157
 Low tide, 132
 Low Water Datums 136
 Lower branch, 4, 235
 Lower transit, 238
 Lowest low water, 138
 Lowest normal low water, 138
 Loxodromic curve, 4

Luminous range, 54
 Lunar day, 232
 Lunar distance, 6
 Lunar eclipse, 233
 Lunar month, 134
 Lune, 320
 Lunitidal interval, 136
 lunitidal interval 136

M

Magnetic adjustment, 84
 Magnetic disturbances, 419
 Magnetic fields, 84
 Magnetic heading, 97
 Magnetic poles, 81
 Magnetic signature, 89
 Magnitude ratio, 219
 Magnitudes, 219
 Main (M) coil, 89
 Maintenance of buoys, 70
 Major light, 63
 Major wind patterns, 484
 Malvinas Current, 436
 Maneuvering to avoid the storm center, 514, 516, 517
 Manganese nodules, 430
 Marcq Saint Hilaire, 58
 Marine chronometer, 269
 Marine information reports, 418
 marine microbarograph 520
 Marine radiobeacons, 161
 Marine sediments, 430
 Marine sextant, 261
 Maritime Safety Committee, 207
 maritime safety information, 393
 Maritime Safety Information (MSI), 393, 396
 Maritime Safety Information Website, 60
 Mars, 223
 master station 173
 Mean high water lunitidal interval, 136
 Mean latitude (Lm), 346
 Mean low water (MLW), 137
 Mean low water springs (MLWS), 137
 Mean lower low water (MLLW), 137
 Mean lower low water springs (MLLWS), 137
 Mean sidereal time, 281
 Mean solar time, 276
 Mean sun, 232, 276
 Mean time, 276
 Median, 318
 Medium frequency, 158
 Mercator projection, 23, 24
 Mercator sailing, 332, 358
 mercurial barometer 519
 Meridian altitude, 381
 Meridian angle, 237, 239
 Meridian passage, 309
 Meridian transit, 239, 377
 Meridional difference (m), 346
 Meridional parts (M), 24, 346
 Meteor showers, 224
 Meteor swarms, 224
 Meteorite, 224
 Meteorological equator, 484
 Meteors, 224
 Metric system, 3
 Micrometer drum, 262
 Micrometer drum sextant, 261
 Microwaves, 152
 Mid-latitude (Lm), 4, 346
 Mid-latitude sailing, 331, 346, 354
 Middle clouds 528
 Middle clouds, 530
 Military ECDIS, 208
 Mindanao Current, 437
 Mines, 415
 Minimum expected sounding, 368
 Minor light, 63
 Mirage, 497
 Miscellaneous chart features, 43
 Mist, 496
 Mistake, 341, 344
 Mistral, 494
 Mixed tide, 133
 Mock sun, 498
 Modified facsimile charts, 45
 Modified Lambert conformal, 32
 Modulation, 159
 Monsoon, 486
 Moon, 223
 Moon pillar, 498
 Moonbow, 498
 Moonrise, 292
 Moonset, 292
 Moorings, 71
 Most probable position (MPP), 343, 374
 Multiple star, 225
 Multiyear ice, 456

N

Nadir, 235
 Napier's Rules, 326
 National Imagery and Mapping Agency (NIMA) 10
 National Marine Electronic Association (NMEA), 13
 National tidal datum epoch, 138
 Natural function, 322
 Nautical Almanac, 287, 289
 Nautical chart, 23
 Nautical mile, 3
 Nautical miles, 329
 Nautical texts, 51

- NAVAIDS, 106
 Navigable semicircle, 515
 Navigation calculations, 329
 Navigation, four phases of, 1
 Navigation system accuracy, 342
 Navigational astronomy, 217
 Navigational error, 341
 Navigational mathematics, 317
 Navigational tables, 8
 Navigational triangle, 6, 246
 Navigator, 112
 NAVSSI block diagram, 209
 NAVTEX, 397
 Navy Navigation Satellite System (NAVSAT), 8, 163
 Neap tides, 134
 Nebula, 226
 Negative pole, 82
 Neptune, 223
 Network Coordination Station (NCS), 395
 Névé, 460
 New danger, 76
 New Guinea Coastal Current, 437
 Ney's projection, 32
 Night effect, 155
 Night observations, 527
 Night orders, 369
 Nilas, 456
 Nimbostratus (Ns), 534
 Nimbus, 528
 No. 2102D 259
 NOAA BSB corrections, 211
 Nodal period, 134
 Nodes, 233
 Noise, 156
 Nominal range, 54
 Nontidal current 138
 Nontidal current, 138
 North American Datum, 1927, 19
 North American Datum, 1983, 21
 North Atlantic Current, 435
 North Cape Current, 435
 North Equatorial Countercurrent, 435, 436
 North Equatorial Current, 435, 436, 437
 North Pacific Current, 436
 North pole, 82
 North wall effect, 548
 Northeast Drift Current, 435
 Northeast trades, 484
 Northeasterlies, 485
 Northern lights, 500
 Norway Current, 435
 Notice To Mariners, 59
 Nova, 225
 nutation 230
- O**
- Oblique angle, 317
 Oblique coordinates, 320
 Oblique gnomonic projection, 29
 Oblique Mercator projections, 26
 Oblique orthomorphic projection, 26
 Oblique plane triangles, 325
 Oblique spherical triangles, 327
 Oblique triangle, 318
 Obliquity of the ecliptic, 228
 Observed altitude (ho), 296
 Obtuse angle, 317
 Obtuse triangle, 318
 Occluded front, 492
 Occulting light, 66
 Ocean current observations, 439
 Ocean current phenomena, 438
 Ocean current reports, 423
 Ocean currents, 433, 548
 Ocean currents and climate, 438
 Ocean currents, causes, 433
 Ocean Data Acquisition System (ODAS) buoy, 70
 Ocean eddies and rings, 438
 Ocean phase of navigation, 2
 Ocean pressure, 426
 Ocean temperature, 426
 Ocean waves, 441
 Oceanic circulation, 434
 Oceanographic chemistry, 425
 Oceanography, 425
 Octant, 319
 Offshore current, 433
 Omega, 161
 Open cluster, 225
 Opposition, 223
 Ordinate, 320
 Ordnance Survey of Great Britain 1936 Datum, 19
 Origin, 320
 Origin of the oceans, 425
 Orion, 254
 Orthographic projection, 24, 31
 Orthomorphic projection, 30
 Oscillatory wave, 444
 Overfalls, 444
 Overscale, 199
 Oyashio Current, 437
- P**
- Pacific ocean currents, 436
 Pampero, 494
 Pancake ice, 456
 Parallax, 381
 Parallel lines, 317
 Parallel of declination, 235

- Parallel sailing, 331, 346, 354
 Paranthelion, 498
 Parantiselene, 498
 Paraselene, 498
 Paraselenic circle, 498
 Parhelic circle, 498
 Parhelion, 498
 Partial eclipse, 233
 Pegasus, 252
 Perigean spring tides, 134
 Perigean tides, 134
 Perigee, 219
 Perihelion, 219
 Perimeter, 319
 Periodic current, 433
 Permanent magnetism, 82
 Permanent magnets, 85
 Perpendicular lines, 317
 Perpendicularity error, 267
 Perspective projections, 24
 Peru Current, 437
 Phase, 151
 Phase characteristics of lights, 74
 phase coding 175
 Photosphere, 220
 Pillar buoys, 74
 Piloting, 1, 105
 Piloting brief, 110
 Piloting procedures, 117
 Pilots, 2
 Pinnacled iceberg, 455
 Plan position indicator (PPI), 187
 Plane, 317
 Plane geometry, 317
 Plane projections, 24
 Plane sailing, 331, 346, 351
 Plane sailing triangle, 351
 Plane surface, 317
 Plane triangle, 318
 Plane trigonometry, 320
 Planet diagram, 259
 Plates, 425
 Plotting running fixes, 122
 Plotting sheets, 34, 374
 Plotting the DR, 100
 Plunging breaker, 449
 Pluto, 223
 Point, 317
 Point of tangency, 319
 Points along the great circle, 349
 Polar charts, 32
 Polar circles, 230
 Polar coordinates, 320
 Polar distance (p), 237
 Polar front, 485
 Polar frontal jet stream (PFJ), 481
 Polar lights, 500
 Polar projection, 32, 34
 Polar winds, 485
 Polaris, 377
 Polarization, 153
 Polarization error, 155
 Poles, 319
 Polyconic projection, 23, 29
 Polynyas, 457
 Port information reports, 419
 Position reporting systems, 399
 Positive pole, 82
 Practical salinity scale, 426
 Practical salinity units, 426
 Precautionary area, 383
 Precession of the equinoxes, 230
 Precipitation, 527
 Precise positioning service (PPS), 166
 Precision, 341
 Precision code, 163
 Preferred datums, 19
 Presentation Library, 203
 Pressure gradient, 482
 Prevailing westerlies, 485
 Primary, 320
 Primary Phase Factor (PF) 178
 Primary seacoast lights, 63
 Prime meridian, 2
 Prime vertical, 239
 Prime vertical circle, 239
 Priming tides, 134
 Principal vertical circle, 239
 Prismatic error, 267
 Private aids to navigation, 80
 Projections, 23
 Proper motion, 225
 Pseudorandom noise (PRN), 163
 Psychrometer, 523
 psychrometer 523
 Psychrometric tables, 523
 Publication 432 (NIST), 283
 Pulse duration, 187
 Pulse length, 187
 Pulse modulation (PM), 159
 Pulse Repetition Rate (PRR), 187
 Pulse width, 187
- ## Q
- Quadrantal spheres, 85
 Quadrantal spherical triangle, 327
 Quarterdeck (Q) coil, 89
 Quartz crystal marine chronometers, 269
 Quintant, 319

R

- Racons, 194
- Radar beacons, 194
- Radar beam, 187
- Radar, development of, 9
- Radar interpretation, 188
- Radar navigation, 1
- Radar operation, 187
- Radar piloting, 196
- Radar ranges, 115
- Radar reflectors, 65, 194
- Radial motion, 225
- Radian, 321
- Radiation fog, 496
- Radio navigation, 1
- Radio Navigational Aids (Pub. 117), 57
- Radio propagation factors, 282
- Radio spectrum, 152
- Radio Technical Commission for Maritime Services, 13, 202
- Radio wave propagation, 157
- Radio waves, 151
- Radioactivity, 429
- Radiobeacons, 161
- Radius of a sphere, 319
- Radius vector, 320
- Rafting of ice, 456
- Rage sea, 445
- Rainbow, 497
- Ramarks, 194
- Rams, 454
- Random errors, 341
- Range lights, 64
- Ranges, 107
- raster chart display system, 199
- Raster format, 199
- raster navigation chart, 199
- Raster navigational chart, 206
- Raster radars, 197
- Ratan (Radar and Television Aid to Navigation), 387
- Rational horizon, 238
- Rear range light, 64
- Receivers, 159
- Recommended direction of traffic flow, 383
- Recommended routes, 383, 384
- Recommended track, 383
- Recording observations, 536
- Rectangular coordinates, 320
- Rectangular projection, 27
- Recurring polynyas, 457
- Reduced soundings, 410
- Reducing a moon sight, 305
- Reducing a planet sight, 307
- Reducing a sun sight, 303
- Reducing star sights, 301
- Reflection, 153
- Reflex angle, 317
- Refraction, 188, 381, 444, 448
- Refraction of radio waves, 153
- Region A, 73
- Region B, 73
- Registered Information Provider, 396
- Regression of the nodes, 234
- Regulated waterways, 390
- Regulation of frequency use, 158
- Relative accuracy 178
- relative display mode, 200
- Relative humidity, 522
- Relative motion, 218
- Release, 262
- Repeatable accuracy 178
- Repeatable accuracy, 184
- Representative fraction, 34
- Requirements, ECDIS replacing paper charts, 200
- Resolution in bearing, 189
- Resolution in range, 188
- Retentive error, 88
- Retrograde motion, 222
- Revolution, 219
- Rhumb lines, 4, 345
- Ridge, 456
- Ridging, 456
- Right angle, 317
- Right ascension, 235
- Right line, 317
- Right plane triangles, 325
- Right spherical triangles, 327
- Right triangle, 318
- Rip currents, 450
- Ripples, 441
- Roaring forties, 485
- Rotation, 219
- Rotten ice, 460
- Roundabout, 384
- Route planning and monitoring, 213
- Route reports, 423
- Routing system, 383
- Royal Greenwich Observatory, 11
- Rules of dead reckoning, 100
- Running fix, 115

S

- Safe Water Marks, 76
- Safety contour, 214
- Safety of Life at Sea (SOLAS), 12
- Safety report messages, 415
- Safety reports, 414
- SafetyNET, 396
- Sailing charts, 35
- Sailing Directions 2

- Sailing Directions (Enroute), 52
- Sailing Directions (Planning Guide), 51
- Salinity, 425
- Sand bars, 450
- Santa Ana, 494
- Sargasso Sea, 436
- Saros, 234
- SART Range 406
- Satellite oceanography, 430
- Saturn, 223
- Scale, 34
- Scalene triangle, 318
- Sea breeze, 493
- Sea ice, 455
- Sea ice, drifting, 460
- Sea ice, salinity, 460
- Sea ice, thickness, 457
- sea level pressure 521
- search and acquisition 174
- Seasonal current, 433
- Secant, 319
- Secant conic projection, 29
- Secchi disk, 429
- Second-year ice, 456
- secondary coding delay (SCD) 174
- Secondary lights, 63
- Secondary Phase Factor (SF) 178
- secondary stations 173
- Sector, 319
- Sectors of lights, 69
- Segment, 319
- Seiche, 447
- Seismic sea waves, 446
- Semi-circle, 319
- Semidiameter, 319, 381
- Semidiameter of a sphere, 319
- Semidiurnal, 139
- Semidiurnal tide, 133
- Semimajor axis, 16
- Sensible horizon, 238
- Separation zone, 383
- Set, 102, 110, 139
- settle phase 174
- Sexagesimal system, 321
- Sextant, 319
- Sextant care, 266
- Sextant errors, adjustable, 267
- Sextant errors, non adjustable, 266
- Sextant moon sights, 263
- Sextant reading, 264
- Sextant star sights, 263
- Sextant sun sights, 263
- Sextant verticle angles, 115
- Shade glasses, 262
- Shallow water, 526
- Shapes of marks, 74
- Ship Earth Stations (SES), 395
- Ship simulators, 126
- Ship's heading, 97
- Ship's magnetism, 82
- Shoaling, 444
- Shoals, 414
- Shooting stars, 224
- Shore lead, 457
- Shore lights, 65
- Shuga, 456
- Side error, 267
- Sidereal day, 232, 275
- Sidereal Hour Angle, 230, 299
- Sidereal Hour Angle (SHA), 235
- Sidereal month, 223
- Sidereal time, 232, 280
- Sight reduction, 295, 381
- Sight reduction procedures, 297
- Sight Reduction Tables, 58
- Sight Reduction Tables for Marine Navigation Pub. No. 229, 295
- Signal range, 157
- signal-to-noise ratio (SNR) 179
- Simple conic projection, 27
- Sinkers, 71
- Sinking, 497
- Skip distance, 154
- Sky coloring, 497
- Sky diagrams, 250
- Sky map, 468
- Skylights, 473
- Slack water, 139
- Slide Bar 108
- Slide bar, 108
- Sling psychrometer, 523
- Small circle, 3, 319
- Small craft charts, 50
- Small-scale chart, 35
- Smog, 496
- Smooth sheet, 410
- Snow blink, 468
- Solar day, 232
- Solar eclipse, 233
- Solar prominences, 233
- Solar System 219
- Solar tide, 133
- Solar time, 275
- Solar wind, 220
- Solid geometry, 317
- Somali Current, 437
- Sound signals, 78
- Sound signals on buoys, 71
- Sound speed, 428
- Sounding datum, 137

- Sounding reports, 416
- Soundings, 40
- South Atlantic Current, 436
- South Equatorial Current, 434, 437
- South Java Current, 438
- South Pole, 82
- Southeast Drift Current, 435, 436
- Southeast trades, 484
- Southeasterlies, 485
- Southern hemisphere routing, 555
- Southern lights, 500
- Southern Ocean Currents, 434
- Southwest Monsoon Current, 437
- Space coordinates, 320
- Space segment, 395
- Spar, 74
- Special charts, 34
- Special environmental problems, 554
- Special Marks, 76
- Special Notice to Mariners paragraphs, 59
- Special purpose buoys, 78
- Special tidal effects, 134
- Specific heat, 428
- Spectrum, 497
- Speed (S), 5
- Speed made good (SMG), 5
- Speed of a vessel, 329
- Speed of advance (SOA), 5
- Speed over the ground (SOG), 5
- Sphere, 319
- Spherical buoys, 74
- Spherical coordinates, 320
- Spherical triangle, 246, 320
- Spicules, 456
- Spilling breaker, 449
- Spitsbergen Current, 435
- Spring tides, 134
- Squall line, 492
- Squat, 121
- St. Elmo's fire, 499
- Stadimeter ranges, 115
- Standard, 341
- Standard atmosphere, 481
- Standard deviation, 342
- Standard lapse, 481
- Standard parallel, 27
- Standard time broadcasts, 282
- standard zero crossing 174
- Standing orders, 370
- Standing waves, 447
- Star charts, 250
- Star clouds, 225
- Star finder, 250, 259
- Star globe, 250
- Stars, 224, 247
- station pressure 521
- Steering error, 102
- STELLA 295
- Stereographic projection, 24, 30
- Stooping, 497
- Storm surge, 518
- Storm tides, 446, 518
- Storm wave, 518
- Straight angle, 317
- Straight line, 317
- Stratocumulus (Sc), 533
- Stratosphere, 481
- Stratus (St), 528, 534
- Stream, 433
- Sub-tropical jet stream (STJ), 481
- Subastral point, 246
- Sublunar point, 130, 246
- Subpermanent magnetism, 82
- Subsatellite point, 246
- Subsolar point, 246
- Substellar point, 246
- Summary Of Corrections, 59
- Summer solstice, 229
- Sumner line, 8
- Sun 220
- Sun cross, 498
- Sun dog, 498
- Sun pillar, 498
- Sunspots, 220
- Super high frequency, 158
- Super-refraction, 153
- Superior conjunction, 221
- Superior mirage, 497
- Superior planets, 221, 222
- Supernova, 225
- supersaturated 523
- Supplement, 317
- Supplementary angle, 317
- Surf, 444
- Surging breaker, 449
- Swath survey systems, 412
- Sweat, 522
- Swell, 441, 527
- Swing circle, 121
- Synodic period, 222
- Synodical month, 134
- Synoptic oceanography, 432
- Synoptic weather considerations, 549
- system area monitor 174
- system electronic navigation chart, 199
- Systematic errors, 341

T

- Tabular iceberg, 455
- Tabular Sight Reduction 295

- Tabulated declination, 299
- Taking a sight, 264
- Taking departure, 100
- Tangent arc, 498
- Tangent, geometric, 319
- Tangent screw, 262
- Tasman Front, 437
- Tehuantepecer, 494
- Telescope, 262
- Temperate zones, 230
- Temperature 521
- Temperature error 521
- Temperature measurement, 522
- Temporary geographic grid (TGG), 34
- Tenting, 456
- Terrestrial magnetism, 82
- Thawholes, 460
- The Sailings, 3, 345
- Thermal conductivity, 429
- Thermal expansion, 428
- Thermocline, 426
- Thermohaline, 433
- thermometer 522
- Thunder, 499
- Tidal current, 102, 129, 138
- Tidal current charts, 147
- Tidal current periods and cycles, 140
- Tidal current tables, 143, 145
- Tidal currents, 143, 526
- Tidal cycles, 136
- Tidal day, 134
- tidal day 136
- Tidal heights, 143
- Tidal waves, 446, 518
- Tide calculations, 330
- Tide predictions for reference stations, 144
- Tide predictions for subordinate stations, 144
- Tide Tables, 144
- Tide waves, 447
- Time, 232, 275
- Time balls, 6
- time delay lattice 173
- Time diagram, 239
- time difference 173
- Time meridian, 278
- Time of sunrise, 291
- Time of sunset, 291
- Time sight, 7
- Time signals, 283
- Tokyo Datum, 19
- Topmarks, 74
- Torrid zone, 230
- Towering, 497
- Track made good by plotting running fixes, 122
- tracking and lock phase 174
- Trackline SURPIC, 401
- tractive forces 131
- Trade winds, 484
- Traffic lane, 383
- Traffic separation scheme, 383, 384
- Transducer, 410
- Transfer, 107
- transfer 107
- Transit, 161
- Transit of the sun, 221
- Transition to piloting, 112
- Transmissometer, 429, 536
- transmissometer 536
- Transmitters, 158
- Transparency, 429
- Transversal, 317
- Transverse Mercator projections, 25
- Transverse orthomorphic projection, 25
- Transverse projections, 23
- Traverse, 18, 353
- Traverse sailing, 331, 346, 353
- Traverse tables, 351
- Triangles, 318
- Triangulation, 17
- Trigonometric functions, 321
- Trigonometric identity, 324
- Trigonometry, 320
- Trilateration, 18
- Triquadrantal spherical triangle, 327
- Tropic lower low water (TcLLW), 137
- Tropic of Cancer, 230
- Tropic of Capricorn, 230
- Tropic tides, 134
- Tropical cyclone, 503
- Tropical cyclones, avoidance, 510
- Tropical cyclones, locating center, 512
- Tropical cyclones: origin, season, and frequency, 503
- Tropical depression, 503
- Tropical disturbance, 503
- Tropical month, 134
- Tropical year, 233
- Tropopause, 481
- Troposphere, 481
- true display mode, 200
- True heading, 97
- True wind, 523
- Tsunamis, 446
- Tsushima Current, 436
- Turbidity currents, 430
- turning point 107
- Twilight, 291
- Two-way route, 384
- Types of marks, 73
- Types of sailings, 346
- Typhoon, 503

U

U.S. Coast and Geodetic Survey, 9
 U.S. Coast Guard Districts, 61
 Ultra high frequency, 158
 Ultraviolet, 497
 Undercurrents, 438
 underscale, 199
 Uniform State Waterway Marking System (USWMS), 80
 United States Coast Guard, 10
 United States Naval Observatory, 11
 United States Navy, 11
 Universal polar stereographic (UPS) grid, 31, 34
 Universal time, 232, 233
 Universal Transverse Mercator (UTM), 26, 34
 Upper air observations, 536
 Upper branch, 235
 Upper meridian passage, 276
 Upper transit, 238
 Uranus, 223
 Ursa Major, 254
 USCG Light Lists, 57
 Use and stowage of charts, 49
 User equivalent range error (UERE), 168
 Using charts, 49

V

Variable stars, 225
 Variation, 3, 82, 97
 Vector format, 200
 Vernal equinox, 229, 275
 Vernier, 262
 Vernier sextant, 263
 Vertex, 317
 Vertical angle, 317
 Vertical datum, 19
 Vertical surveying, 18
 Vertices, 318
 Very high frequency, 157
 Very low frequency, 157
 Vessel Traffic Services (VTS), 386
 Viscosity, 427
 Visibility 536
 Visibility measurement, 536
 Visible horizon, 238
 Volcanic activity, 415
 Voluntary Observation Ship (VOS) program 520
 voyage data recorder, 205
 Voyage preparation, 368
 VTS Houston-Galveston, 388
 VTS New York, 387
 VTS Prince William Sound, 389
 VTS Puget Sound, 388
 VTS San Francisco, 387

W

Warm front, 489
 Warning Sounding, 368
 Warship ECDIS (WECDIS), 210
 Watch circle, 71
 Watch relief procedures, 370
 Watch Time (WT), 280
 Water sky, 468
 Waterspout, 494
 Wave characteristics, 441
 Wave front, 151
 Wave height, 333, 441, 548
 Wave interference, 153
 Wave measurement aboard ship, 445
 Wave period (P), 441
 Wave speed, 333
 Wavelength, 151, 441
 Waves, causes, 441
 Waypoint navigation, 184
 Waypoints, 214
 waypoints 173
 Weather, 481
 Weather advisory, 555
 Weather broadcasts and radiofacsimile, 510
 Weather forecast dissemination, 500
 Weather observations, 519
 Weather routing, 545
 West Greenland Current, 435
 West Wind Drift, 434
 Western Rivers System, 79
 Whistle buoys, 71
 Wind, 548
 Wind driven currents, 433
 Wind measurement, 523
 Wind shifts, 527
 Wind speed, 525
 wind vane 523
 Wind's duration, 525
 Winter solstice, 229
 World Geodetic Reference System (GEOREF), 34, 210
 World Geodetic System, 19
 World Geodetic System of 1960, 20
 World Geodetic System of 1972, 20
 World Geodetic System of 1984, 20
 World Port Index Pub. 150, 58
 Wreck buoys, 71
 Wrecks/man-made obstructions, 415

X

X-shaped topmarks, 74
 xx 199

- Y**
- Year, 232
 - Young ice, 456
- Z**
- Zenith, 235
 - Zenith distance, 240
 - Zenithal projection, 23, 29
 - Zodiac, 231
 - Zodiacal light, 224
 - Zone description (ZD), 278
 - Zone meridian, 278
 - Zone time (ZT), 233, 278

